
Inhaltsverzeichnis

OPEN-HYTERA-ENGLISH

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 17. September 2013, 23:20

Uhr (Quelltext anzeigen)

Oe1kbc (Diskussion | Beiträge)

← Zum vorherigen Versionsunterschied

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc (Diskussion | Beiträge)

Zum nächsten Versionsunterschied →

Zeile 11: == master objectives:== – * essentially for local use – * compatible structures to existing DMR networks [[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]	Zeile 11: == master objectives:== + * repeaters are essentially for local use + * build compatible structures to existing DMR networks [[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]
--	--

Version vom 17. September 2013, 23:22 Uhr



HYTERA RD985



HYTERA RD985

project objectives\:

- Bring together analog and digital technology
 - double benefit in using existing FM sites
 - only one timeslot for international network (second timeslot for local use)
 - software made by amateurs to set up the network
 - open network with small guidelines
- SYSOPs can test without notification to a MASTER SYSOP

master objectives\:

- repeaters are essentially for local use
- build compatible structures to existing DMR networks

