

Inhaltsverzeichnis

1. Bake OK0EB	4
2. Benutzer:Oe1mcu	6
3. Kategorie:Mikrowelle	8
4. Kategorie:Relaisfunkstellen und Baken	11

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Kleř 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:	Zeile 5:
1084m asl, JN78DU	1084m asl, JN78DU
– 1296.970 MHz 10W	+ *1296.970 MHz 10W
– 2320.970 MHz 10W	+ *2320.970 MHz 10W
– 3400.970 MHz 10W	+ *3400.970 MHz 10W
– 5760.970 MHz 5W	+ *5760.970 MHz 5W
– 10368.970 MHz 2W	+ *10368.970 MHz 2W
Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleř 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „[Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken](#) Bake OK0EB Kleř 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:	Zeile 5:
1084m asl, JN78DU	1084m asl, JN78DU
– 1296.970 MHz 10W	+ *1296.970 MHz 10W
– 2320.970 MHz 10W	+ *2320.970 MHz 10W
– 3400.970 MHz 10W	+ *3400.970 MHz 10W
– 5760.970 MHz 5W	+ *5760.970 MHz 5W
– 10368.970 MHz 2W	+ *10368.970 MHz 2W
Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleř 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

-
- 5760.970 MHz 5W
 - 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Kleř 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:	Zeile 5:
1084m asl, JN78DU	1084m asl, JN78DU
– 1296.970 MHz 10W	+ *1296.970 MHz 10W
– 2320.970 MHz 10W	+ *2320.970 MHz 10W
– 3400.970 MHz 10W	+ *3400.970 MHz 10W
– 5760.970 MHz 5W	+ *5760.970 MHz 5W
– 10368.970 MHz 2W	+ *10368.970 MHz 2W
Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleř 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

-
- 5760.970 MHz 5W
 - 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „[Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken](#) Bake OK0EB Kleť 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:	Zeile 5:
1084m asl, JN78DU	1084m asl, JN78DU
– 1296.970 MHz 10W	+ *1296.970 MHz 10W
– 2320.970 MHz 10W	+ *2320.970 MHz 10W
– 3400.970 MHz 10W	+ *3400.970 MHz 10W
– 5760.970 MHz 5W	+ *5760.970 MHz 5W
– 10368.970 MHz 2W	+ *10368.970 MHz 2W
Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleť 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

-
- 5760.970 MHz 5W
 - 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Seiten in der Kategorie „Mikrowelle“

Folgende 28 Seiten sind in dieser Kategorie, von 28 insgesamt.

1

- [10GHz Bakenprojekt](#)

2

- [23cm-Band/1300MHz](#)

A

- [Antenne](#)
- [Antennenkabel](#)

B

- [Bake OK0EB](#)
- [Baken in Ungarn](#)
- [Bandwacht](#)
- [Breitenstein Bake OE5XBM](#)

D

- [Das Reflexklystron](#)
- [Die Entwicklung der Mikrowelle im Amateurfunk](#)
- [Die Geschichte der Elektromagnetischen Wellen](#)

E

- [Einleitung Mikrowelle](#)
- [El Cuatro](#)

G

- [Galerie](#)
- [GUNN-Plexer](#)

L

- [Leser Forum](#)
- [Links](#)

M

- [Mikrowellen - Erstverbindungen](#)
- [Mikrowellen DX Rekorde](#)
- [Modulationsarten](#)

N

- [Newcomer](#)

Q

- [Q65](#)
- [QO-100](#)
- [QTH-Locator](#)

R

- [Rechner - Mini dB](#)

S

- [Sonnblick Bake OE2XRO](#)

T

- [Transverter Technik im Wandel der Zeit](#)

W

- [Was sind Mikrowellen?](#)

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „[Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken](#) Bake OK0EB Kleř 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:		Zeile 5:	
	1084m asl, JN78DU		1084m asl, JN78DU
–	1296.970 MHz 10W	+	*1296.970 MHz 10W
–	2320.970 MHz 10W	+	*2320.970 MHz 10W
–	3400.970 MHz 10W	+	*3400.970 MHz 10W
–	5760.970 MHz 5W	+	*5760.970 MHz 5W
–	10368.970 MHz 2W	+	*10368.970 MHz 2W
	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.		Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz		Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleř 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

-
- 5760.970 MHz 5W
 - 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Seiten in der Kategorie „Relaisfunkstellen und Baken“

Folgende 25 Seiten sind in dieser Kategorie, von 25 insgesamt.

1

- [10GHz Bakenprojekt](#)

2

- [2m/70cm Relais OE5XGL](#)

6

- [6m Relais OE6XRF](#)

7

- [70cm Relais OE5XIM](#)
- [70cm Relais OE5XOL](#)
- [70cm Relais OE6XBF](#)
- [70cm Relais OE6Xcg](#)
- [70cm Relais OE6XCG](#)
- [70cm Relais OE7XBI](#)
- [70cm Relais OE7XGR](#)
- [70cm Relais OE7XZT](#)

A

- [APRS Digi OE6XLR](#)
- [APRS Digi OE6XPR](#)
- [APRS Digi OE6XVR](#)
- [APRS Digi OE7XFJ](#)

B

- [Bake OK0EB](#)
- [Baken in Ungarn](#)
- [Breitenstein Bake OE5XBM](#)

E

- [Exelberg bei Wien](#)

F

- [Funkrunden](#)

H

- [Hamnet Digi OE6XVR](#)

O

- [OE3XWj](#)

R

- [Relaisfunkstellen in Ungarn](#)

S

- [Sonnblick Bake OE2XRO](#)
- [Sternstein Bake OE5XHE](#)