
Inhaltsverzeichnis

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 14:50 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

← Zum vorherigen Versionsunterschied

Version vom 9. Juli 2015, 14:51 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

Zum nächsten Versionsunterschied →

Zeile 19:		Zeile 19:
Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz		Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz
– <gallery Caption="Bilder Hobo ">	+	<gallery Caption="Bilder OK0EB ">
– Image:OK0EB 07.JPG TEXT	+	Image:OK0EB 07.JPG Mast
– Image:OK0EB 20150701 161342.jpg TEXT	+	Image:OK0EB 20150701 161342.jpg am Mast
</gallery>		</gallery>

Version vom 9. Juli 2015, 14:51 Uhr

Bake OK0EB

QTH: Kleť Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W


Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Bilder OK0EB



Mast



am Mast