

Inhaltsverzeichnis

1. Bake OK0EB	5
2. Benutzer:Oe1mcu	8
3. Kategorie:Mikrowelle	11
4. Kategorie:Relaisfunkstellen und Baken	15

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Klet 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

(12 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 2:		Zeile 2:	
	[[Kategorie:Relaisfunkstellen und Baken]]		[[Kategorie:Relaisfunkstellen und Baken]]
-	Bake OK0EB Klet	+	QTH: Klet
-	1084m asl, JN78DU		
-	1296.970 MHz 10W	+	Locator: JN78DU
-	2320.970 MHz 10W	+	1084m asl
-	3400.970 MHz 10W		
-	5760.970 MHz 5W		
-	10368.970 MHz 2W		
-	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	+	*1296.970 MHz 10W
		+	*2320.970 MHz 10W
		+	*3400.970 MHz 10W
		+	*5760.970 MHz 5W
		+	*10368.970 MHz 2W
		+	

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+ Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+

+ <gallery Caption="Bilder OK0EB">

+ Image:OK0EB 07.JPG|Mast

+ Image:OK0EB 20150701 161342.jpg|am Mast

+ Image:OK0EB 116.JPG|am Mast

+ Image:OK0EB 54.JPG|Innenansicht

+ Image:OK0EB 55.JPG|Innansicht Detail

+ </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W


Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail

Bake OK0EB: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)
[Visuell Wikitext](#)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu ([Diskussion](#) | [Beiträge](#))
(Die Seite wurde neu angelegt: „[Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken](#) Bake OK0EB Klet 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)

Oe1mcu ([Diskussion](#) | [Beiträge](#))

(12 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 2:	Zeile 2:
[[Kategorie:Relaisfunkstellen und Baken]]	[[Kategorie:Relaisfunkstellen und Baken]]
– Bake OK0EB Klet	+ QTH: Klet
– 1084m asl, JN78DU	
– 1296.970 MHz 10W	+ Locator: JN78DU
– 2320.970 MHz 10W	+ 1084m asl
– 3400.970 MHz 10W	
– 5760.970 MHz 5W	
– 10368.970 MHz 2W	
– Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	+ *1296.970 MHz 10W
	+ *2320.970 MHz 10W
	+ *3400.970 MHz 10W
	+ *5760.970 MHz 5W
	+ *10368.970 MHz 2W
	+

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+ Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+

+ <gallery Caption="Bilder OK0EB">

+ Image:OK0EB 07.JPG|Mast

+ Image:OK0EB 20150701 161342.jpg|am Mast

+ Image:OK0EB 116.JPG|am Mast

+ Image:OK0EB 54.JPG|Innenansicht

+ Image:OK0EB 55.JPG|Innansicht Detail

+ </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Klet 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)
Oe1mcu (Diskussion | Beiträge)

(12 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 2:		Zeile 2:	
	[[Kategorie:Relaisfunkstellen und Baken]]		[[Kategorie:Relaisfunkstellen und Baken]]
-	Bake OK0EB Klet	+	QTH: Klet
-	1084m asl, JN78DU		
-	1296.970 MHz 10W	+	Locator: JN78DU
-	2320.970 MHz 10W	+	1084m asl
-	3400.970 MHz 10W		
-	5760.970 MHz 5W		
-	10368.970 MHz 2W		
-	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	+	*1296.970 MHz 10W
		+	*2320.970 MHz 10W
		+	*3400.970 MHz 10W
		+	*5760.970 MHz 5W
		+	*10368.970 MHz 2W
		+	

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+

+ <gallery Caption="Bilder OK0EB">

+ Image:OK0EB 07.JPG|Mast

+ Image:OK0EB 20150701 161342.jpg|am Mast

+ Image:OK0EB 116.JPG|am Mast

+ Image:OK0EB 54.JPG|Innenansicht

+ Image:OK0EB 55.JPG|Innansicht Detail

+ </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W


Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Klet 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)
Oe1mcu (Diskussion | Beiträge)

(12 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 2:		Zeile 2:	
	[[Kategorie:Relaisfunkstellen und Baken]]		[[Kategorie:Relaisfunkstellen und Baken]]
-	Bake OK0EB Klet	+	QTH: Klet
-	1084m asl, JN78DU		
-	1296.970 MHz 10W	+	Locator: JN78DU
-	2320.970 MHz 10W	+	1084m asl
-	3400.970 MHz 10W		
-	5760.970 MHz 5W		
-	10368.970 MHz 2W		
-	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	+	*1296.970 MHz 10W
		+	*2320.970 MHz 10W
		+	*3400.970 MHz 10W
		+	*5760.970 MHz 5W
		+	*10368.970 MHz 2W
		+	

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+

+ <gallery Caption="Bilder OK0EB">

+ Image:OK0EB 07.JPG|Mast

+ Image:OK0EB 20150701 161342.jpg|am Mast

+ Image:OK0EB 116.JPG|am Mast

+ Image:OK0EB 54.JPG|Innenansicht

+ Image:OK0EB 55.JPG|Innansicht Detail

+ </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail

Seiten in der Kategorie „Mikrowelle“

Folgende 28 Seiten sind in dieser Kategorie, von 28 insgesamt.

1

- [10GHz Bakenprojekt](#)

2

- [23cm-Band/1300MHz](#)

A

- [Antenne](#)
- [Antennenkabel](#)

B

- [Bake OK0EB](#)
- [Baken in Ungarn](#)
- [Bandwacht](#)
- [Breitenstein Bake OE5XBM](#)

D

- [Das Reflexklystron](#)
- [Die Entwicklung der Mikrowelle im Amateurfunk](#)
- [Die Geschichte der Elektromagnetischen Wellen](#)

E

- [Einleitung Mikrowelle](#)
- [El Cuatro](#)

G

- [Galerie](#)
- [GUNN-Plexer](#)

L

- [Leser Forum](#)
- [Links](#)

M

- [Mikrowellen - Erstverbindungen](#)
- [Mikrowellen DX Rekorde](#)
- [Modulationsarten](#)

N

- [Newcomer](#)

Q

- [Q65](#)
- [QO-100](#)
- [QTH-Locator](#)

R

- [Rechner - Mini dB](#)

S

- [Sonnblick Bake OE2XRO](#)

T

- [Transverter Technik im Wandel der Zeit](#)

W

- [Was sind Mikrowellen?](#)

Bake OK0EB: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „[Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken](#) Bake OK0EB Klet 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

(12 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 2:		Zeile 2:	
	[[Kategorie:Relaisfunkstellen und Baken]]		[[Kategorie:Relaisfunkstellen und Baken]]
-	Bake OK0EB Klet	+	QTH: Klet
-	1084m asl, JN78DU		
-	1296.970 MHz 10W	+	Locator: JN78DU
-	2320.970 MHz 10W	+	1084m asl
-	3400.970 MHz 10W		
-	5760.970 MHz 5W		
-	10368.970 MHz 2W		
-	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.	+	*1296.970 MHz 10W
		+	*2320.970 MHz 10W
		+	*3400.970 MHz 10W
		+	*5760.970 MHz 5W
		+	*10368.970 MHz 2W
		+	

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+ Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

+

+ <gallery Caption="Bilder OK0EB">

+ Image:OK0EB 07.JPG|Mast

+ Image:OK0EB 20150701 161342.jpg|am Mast

+ Image:OK0EB 116.JPG|am Mast

+ Image:OK0EB 54.JPG|Innenansicht

+ Image:OK0EB 55.JPG|Innansicht Detail

+ </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail

Seiten in der Kategorie „Relaisfunkstellen und Baken“

Folgende 25 Seiten sind in dieser Kategorie, von 25 insgesamt.

1

- [10GHz Bakenprojekt](#)

2

- [2m/70cm Relais OE5XGL](#)

6

- [6m Relais OE6XRF](#)

7

- [70cm Relais OE5XIM](#)
- [70cm Relais OE5XOL](#)
- [70cm Relais OE6XBF](#)
- [70cm Relais OE6Xcg](#)
- [70cm Relais OE6XCG](#)
- [70cm Relais OE7XBI](#)
- [70cm Relais OE7XGR](#)
- [70cm Relais OE7XZT](#)

A

- [APRS Digi OE6XLR](#)
- [APRS Digi OE6XPR](#)
- [APRS Digi OE6XVR](#)
- [APRS Digi OE7XFJ](#)

B

- [Bake OK0EB](#)
- [Baken in Ungarn](#)
- [Breitenstein Bake OE5XBM](#)

E

- [Exelberg bei Wien](#)

F

- [Funkrunden](#)

H

- [Hamnet Digi OE6XVR](#)

O

- [OE3XWJ](#)

R

- [Relaisfunkstellen in Ungarn](#)

S

- [Sonnblick Bake OE2XRO](#)
- [Sternstein Bake OE5XHE](#)