
Inhaltsverzeichnis

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 9. Juli 2015, 14:51 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

← Zum vorherigen Versionsunterschied

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)

(2 dazwischenliegende Versionen desselben Benutzers werden nicht angezeigt)

Zeile 13: *10368.970 MHz 2W – Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies. Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz	Zeile 13: *10368.970 MHz 2W + Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz
Zeile 20: Image:OK0EB 07.JPG Mast Image:OK0EB 20150701 161342.jpg am Mast </gallery>	Zeile 20: Image:OK0EB 07.JPG Mast Image:OK0EB 20150701 161342.jpg am Mast + Image:OK0EB 116.JPG am Mast + Image:OK0EB 54.JPG Innenansicht + Image:OK0EB 55.JPG Innansicht Detail </gallery>

Aktuelle Version vom 9. Juli 2015, 19:50 Uhr

QTH: Klet

Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz


Bilder OK0EB



Mast




am Mast



am Mast



Innenansicht



Innansicht Detail