
Inhaltsverzeichnis

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
(Die Seite wurde neu angelegt: „Kategorie: Mikrowelle Kategorie:Relaisfunkstellen und Baken Bake OK0EB Kleř 1084m asl, JN78DU 1296.970 MHz 10W 2320.970 MHz 10W 3400.970 MHz 10W 5760.97...“)

Version vom 9. Juli 2015, 12:32 Uhr (Quelltext anzeigen)

Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 5:		Zeile 5:	
	1084m asl, JN78DU		1084m asl, JN78DU
–	1296.970 MHz 10W	+	*1296.970 MHz 10W
–	2320.970 MHz 10W	+	*2320.970 MHz 10W
–	3400.970 MHz 10W	+	*3400.970 MHz 10W
–	5760.970 MHz 5W	+	*5760.970 MHz 5W
–	10368.970 MHz 2W	+	*10368.970 MHz 2W
	Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.		Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.
	Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz		Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz

Version vom 9. Juli 2015, 12:32 Uhr

Bake OK0EB Kleř 1084m asl, JN78DU

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W

- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz