
Inhaltsverzeichnis

Bake OK0EB

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 9. Juli 2015, 12:33 Uhr (Quelltext anzeigen)
Oe1mcu (Diskussion | Beiträge)
← Zum vorherigen Versionsunterschied

Version vom 9. Juli 2015, 12:34 Uhr (Quelltext anzeigen)
Oe1mcu (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 8:

[[Bild:NR4SC NobleRadio.png|thumb|Transceiver für das 4-m Band]]

- =Bake OK0EB **Klet**=

- 1084m asl, **JN78DU**

*1296.970 MHz 10W

Zeile 8:

[[Bild:NR4SC NobleRadio.png|thumb|Transceiver für das 4-m Band]]

+ =Bake OK0EB =


+ **QTH: Klet**

+ **Locator: JN78DU**

+ 1084m asl

*1296.970 MHz 10W


Version vom 9. Juli 2015, 12:34 Uhr




DXL APRS Tracker



Elecraft QRP TRX



Modifizierung MD785



Ausbreitung Magdalensberg



Transceiver für das 4-m Band

Bake OK0EB

QTH: Kleť Locator: JN78DU 1084m asl

- 1296.970 MHz 10W
- 2320.970 MHz 10W
- 3400.970 MHz 10W
- 5760.970 MHz 5W
- 10368.970 MHz 2W

Omnidirectional antennas are installed on the mast with moderate advantage to north-east direction. Please spread this information among VHF/UHF enthusiasts in your societies.

Please signal reports to Petr OK2ULG to his e-mail ok2ulq at seznam.cz