

DXL - APRSmap englisch

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 8. September 2014, 22:17

[Uhr](#) ([Quelltext anzeigen](#))

OE2WAO ([Diskussion](#) | [Beiträge](#))

K

[← Zum vorherigen Versionsunterschied](#)

Zeile 8:

A lot of documentation work has to be done soon !!

Version vom 8. September 2014, 22:23

[Uhr](#) ([Quelltext anzeigen](#))

OE2WAO ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 8:

A lot of documentation work has to be done soon !!

+

+ ==Features==

+ * OpenSource and already compiled for windows and linux

+ * 100%ige compliance with the current APRS protocol specifications

+ * No installation required, just copy and start

+ * No unnecessary menus, focus is on the representation

+ * IP-based, out-of-the-box network-ready in HAMNET and Internet

+ * Operation via shortcuts

+ * Local serial connection (TNC) possible - operating as an RF IGATE

+ * Several MapSources can be used. By default, this is OSM - OpenStreetMap

+ * Track filter for delayed / late / repeated packets "F"

+ * Radio propagation calculation (since v0.36) "R"

+ * Animation of tracks with timeline "A"

+ * Animation of the temperature distribution "W"

+ * Messaging

==Software==

==Software==

Version vom 8. September 2014, 22:23 Uhr



Für die deutsche Version dieses Projekts >>[hier klicken](#)<<

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk an start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Track filter for delayed / late / repeated packets "F"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "A"
- Animation of the temperature distribution "W"
- Messaging

Software

The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.

Windows version

- [download via Wiki \(Datei:Aprsmap-all.zip\)](#)
- [download via HAMNET with latest updates \(HAMNET-connection required\)](#)