

Inhaltsverzeichnis

1. DXL - APRSmap englisch .....	10
2. Benutzer:OE2WAO .....	4
3. DXL - APRSmap .....	6
4. DXL - APRSmap Download .....	8

## DXL - APRSmap englisch

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

**Version vom 30. Juni 2015, 09:00 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 60:

DEL delete selected

==Software==

The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.

===Windows version===

\* [\[\[Media:Aprsmap-all.zip | download via Wiki\]\]](#) ([\[\[Datei:Aprsmap-all.zip\]\]](#))

\* [\[http://oe5dxl.ampr.at download via HAMNET\]](#) with latest updates "(HAMNET-connection required)"

Zeile 60:

DEL delete selected

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

### Version vom 30. Juni 2015, 09:04 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

[Datei:aprsmap.png](#)

A lot of documentation work has to be done soon !!

### Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start

- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

**Version vom 30. Juni 2015, 09:00 Uhr (Quelle anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 30. Juni 2015, 09:04 Uhr (Quelle anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

**Zeile 60:**

DEL delete selected

– **==Software==**

– **The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.**

– **===Windows version===**

– **\* [\[\[Media:Aprsmap-all.zip | download via Wiki\]\]](#) ([\[\[Datei:Aprsmap-all.zip\]\]](#))**

– **\* [\[http://oe5dxl.ampr.at download via HAMNET\]](#) with latest updates "(HAMNET-connection required)"**

**Zeile 60:**

DEL delete selected

+ **==[\[\[DXL - APRSmap Download | Download\]\]](#)==**

+ **[\[\[DXL - APRSmap Download | APRSmap Download\]\]](#) - For Windows, Linux and ARM (Raspberry Pi)**

### Version vom 30. Juni 2015, 09:04 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

[Datei:aprsmap.png](#)

A lot of documentation work has to be done soon !!

### Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start

- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

**Version vom 30. Juni 2015, 09:00 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 60:

DEL delete selected

- **==Software==**

- **The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.**

- **===Windows version===**

- **\* [\[\[Media:Aprsmap-all.zip | download via Wiki\]\]](#) ([\[\[Datei:Aprsmap-all.zip\]\]](#))**

- **\* [\[http://oe5dxl.ampr.at download via HAMNET\]](#) with latest updates "(HAMNET-connection required)"**

Zeile 60:

DEL delete selected

+ **==[\[\[DXL - APRSmap Download | Download\]\]](#)==**

+ **[\[\[DXL - APRSmap Download | APRSmap Download\]\]](#) - For Windows, Linux and ARM (Raspberry Pi)**

### Version vom 30. Juni 2015, 09:04 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

[Datei:aprsmap.png](#)

A lot of documentation work has to be done soon !!

### Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start

- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

**Version vom 30. Juni 2015, 09:00 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 60:

DEL delete selected

==Software==

The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.

===Windows version===

\* [\[\[Media:Aprsmap-all.zip | download via Wiki\]\]](#) ([\[\[Datei:Aprsmap-all.zip\]\]](#))

\* [\[http://oe5dxl.ampr.at download via HAMNET\]](#) with latest updates "(HAMNET-connection required)"

Zeile 60:

DEL delete selected

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

### Version vom 30. Juni 2015, 09:04 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

[Datei:aprsmap.png](#)

A lot of documentation work has to be done soon !!

### Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start



- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

**Version vom 30. Juni 2015, 09:00 Uhr (Quelle anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 30. Juni 2015, 09:04 Uhr (Quelle anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 60:

DEL delete selected

- **==Software==**

- **The software is available for OS like WINDOWS, LINUX and systems based on ARM structures like raspberry pi.**

- **===Windows version===**

- **\* [\[\[Media:Aprsmap-all.zip | download via Wiki\]\]](#) ([\[\[Datei:Aprsmap-all.zip\]\]](#))**

- **\* [\[http://oe5dxl.ampr.at download via HAMNET\]](#) with latest updates "(HAMNET-connection required)"**

Zeile 60:

DEL delete selected

+ **==[\[\[DXL - APRSmap Download | Download\]\]](#)==**

+ **[\[\[DXL - APRSmap Download | APRSmap Download\]\]](#) - For Windows, Linux and ARM (Raspberry Pi)**

### Version vom 30. Juni 2015, 09:04 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

[Datei:aprsmap.png](#)

A lot of documentation work has to be done soon !!

### Features

- OpenSource and already compiled for windows and linux
- 100%ige compliance with the current APRS protocol specifications
- No installation required, just copy and start

- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)