

---

## Inhaltsverzeichnis

1. DXL - APRSmap englisch .....	10
2. Benutzer:OE2WAO .....	4
3. DXL - APRSmap .....	6
4. DXL - APRSmap Download .....	8

## DXL - APRSmap englisch

Versionsgeschichte interaktiv durchsuchen  
Visuell Wikitext

### Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
← Zum vorherigen Versionsunterschied

### Version vom 16. August 2015, 12:09 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
K (→[Features](#))  
Zum nächsten Versionsunterschied →

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
- * 100%ige compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
+ * 100% compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

## Version vom 16. August 2015, 12:09 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei: [aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE

- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)  
[Visuell Wikitext](#)

### Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
 ← [Zum vorherigen Versionsunterschied](#)

### Version vom 16. August 2015, 12:09 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
 K ([→Features](#))  
[Zum nächsten Versionsunterschied](#) →

**Zeile 11:**

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
- * 100%ige compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

**Zeile 11:**

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
+ * 100% compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

## Version vom 16. August 2015, 12:09 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE

- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

### Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

### Version vom 16. August 2015, 12:09 Uhr (Quelltext anzeigen)

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))

[K](#) ([→Features](#))

[Zum nächsten Versionsunterschied →](#)

**Zeile 11:**

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
- * 100%ige compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

**Zeile 11:**

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
+ * 100% compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

## Version vom 16. August 2015, 12:09 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE

- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen  
Visuell Wikitext

### Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
← Zum vorherigen Versionsunterschied

### Version vom 16. August 2015, 12:09 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))  
K ([→Features](#))  
Zum nächsten Versionsunterschied →

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
- * 100%ige compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
+ * 100% compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

## Version vom 16. August 2015, 12:09 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE



- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

## DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

### Version vom 30. Juni 2015, 09:04 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

### Version vom 16. August 2015, 12:09 Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

[K \(→Features\)](#)

[Zum nächsten Versionsunterschied →](#)

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
- * 100%ige compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

Zeile 11:

```
==Features==
```

```
* OpenSource and already compiled for windows and linux
```

```
+ * 100% compliance with the current APRS protocol specifications
```

```
* No installation required, just copy and start
```

```
* No unnecessary menus, focus is on the representation
```

## Version vom 16. August 2015, 12:09 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE

- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand
- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
A Animate
B or <Backspace> go back in position history
C Center (to last clicked Pixel)
E toggle Errors only/All for stepping along a track with <>
F Junk Filter toggle on/off
H Heard (click symbol or text of igate before)
I Internal Status Listing
L toggle labels on/off
M toggle dimm not moving since 10min
O toggle Objects/Items on/off
Q Quit Program
R toggle Radio tracks on/off
S Screenshot ppm/bpm
V make Video map.y4m uncompressed in YUV4MPEG2 format
W toggle Wx temperature map (use topo or no map)
X set Marker 1 to clicked position
Y set Marker 2 and Line to Marker 1
/ zoom to Marker 1-2 Square
~ change track colour
+ Zoom in
- Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7 use osm map
9 use osm topo map
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)