

## DXL - APRSmap englisch

[Versionsgeschichte interaktiv durchsuchen](#)  
[Visuell Wikitext](#)

**Version vom 16. August 2015, 11:09 Uhr**  
**(Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))  
[K](#) ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

**Version vom 17. September 2015, 21:08 Uhr**  
**(Quelltext anzeigen)**

[OE2WAO](#) ([Diskussion](#) | [Beiträge](#))  
[K](#) ([→Shortcuts](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 26:

====Shortcuts====
- <b>:</b> delete markers
- <b>@</b> reset <On Next Click> to menu mode
- <b>A</b> Animate
- <b>B</b> or <Backspace> go back in position history
- <b>C</b> Center (to last clicked Pixel)
- <b>E</b> toggle Errors only/All for stepping along a track with <>
- <b>F</b> Junk Filter toggle on/off
- <b>H</b> Heard (click symbol or text of igate before)
- <b>I</b> Internal Status Listing
- <b>L</b> toggle <b>labels</b> on/off
- <b>M</b> toggle dimm not moving since 10min
- <b>O</b> toggle Objects/Items on/off
- <b>Q</b> Quit Program
- <b>R</b> toggle Radio tracks on/off
- <b>S</b> Screenshot ppm/bpm
- <b>V</b> make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

====Shortcuts====
+ <b>:</b> delete markers
+ <b>@</b> reset <On Next Click> to menu mode
+ <b>a</b> Animate ( <b>Click to Map to set Parameters</b> )
+ <b>b</b> or <Backspace> go back in position history
+ <b>c</b> Center (to last clicked Pixel)
+ <b>d</b> toggle ( <b>missing</b> ) map download
+ <b>e</b> toggle Errors only/All for stepping along a track with <>
+ <b>f</b> Junk Filter toggle on/off
+ <b>h</b> Heard (click symbol or text of igate before)
+ <b>i</b> Internal Status Listing
+ <b>l</b> toggle <b>Labels</b> on/off
+ <b>m</b> toggle dimm not moving since 10min
+ <b>o</b> toggle Objects/Items on/off
+ <b>p</b> toggle <b>mouse-over Hints</b>
+ <b>q</b> Quit Program
+ <b>r</b> toggle Radio tracks on/off

-	<b>W</b> toggle <b>Wx temperature map (use topo or no map)</b>	+	<b>s</b> toggle show only stations with a selected symbol
-	<b>X</b> set Marker 1 to <b>clicked</b> position	+	<b>u</b> toggle tx/rx-Monitor window on/off
-	<b>Y</b> set Marker 2 and Line to Marker 1	+	<b>w</b> toggle <b>WX stations and Temperature</b>
-	/ zoom to Marker 1-2 Square	+	<b>x</b> set Marker 1 to <b>mouse</b> position
-	~ change track colour	+	<b>y</b> set Marker 2 and Line to Marker 1
-	+ Zoom in	+	<b>B</b> Open Beacon editor
-	- Zoom out	+	<b>F</b> Find Call (with wildcards * ?), Locator, Latitude/Longitude
-	. zoom to track and show only this (clicked before)	+	<b>H</b> Altitude Colour Map (if srtm-Data available)
-	= same as . but with radio tracks	+	<b>M</b> Compose Message
-	<b>0</b> show all (and radio tracks off)	+	<b>R</b> toggle Radiorange Map on/off
-	1,2,3,4 Zoom/Pan to stored Views	+	<b>S</b> Screenshot bpm (win), png (linux)
-	<b>7</b> use <b>osm map</b>	+	<b>W</b> Rain map (use topo or dark map)
-	<b>9</b> use <b>osm topo</b> map	+	< > Step along Beacons/Waypoints of a selected User
-	<b>ESC</b> close menus	+	( ) Map Brightness +/- 5%
-	Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
-	SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ <b>shortcut list</b>
-	<b>DEL</b> delete selected	+	~ change track colour
		+	+ Zoom in - Zoom out
		+	. zoom to track and show only this (clicked before)
		+	= same as . but with radio tracks
		+	<b>0</b> show all (and radio tracks off)
		+	1,2,3,4 Zoom/Pan to stored Views
		+	<b>7,8,9</b> use map <b>type as configured</b>
		+	<b>ESC</b> close menus

+ Cursor up/down/left/right move map, same as click near margin

+ SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps

+ **DEL** delete selected (**Symbol, Waypoint**)

+ **TAB** switch between two Views

+ **ctrl-L** Reset Image and Mouse parameters to default

+ **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

## Version vom 17. September 2015, 21:08 Uhr



Für die deutsche Version dieses Projekts >>[hier klicken](#)<<

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:[aprsmap.png](#)

A lot of documentation work has to be done soon !!

## Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

## Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
a Animate (Click to Map to set Parameters)
b or <Backspace> go back in position history
c Center (to last clicked Pixel)
d toggle (missing) map download
e toggle Errors only/All for stepping along a track with <>
f Junk Filter toggle on/off
h Heard (click symbol or text of igate before)
i Internal Status Listing
l toggle Labels on/off
m toggle dimm not moving since 10min
o toggle Objects/Items on/off
p toggle mouse-over Hints
q Quit Program
r toggle Radio tracks on/off
s toggle show only stations with a selected symbol
u toggle tx/rx-Monitor window on/off
w toggle WX stations and Temperature
x set Marker 1 to mouse position
y set Marker 2 and Line to Marker 1
B Open Beacon editor
F Find Call (with wildcards * ?), Locator, Latitude/Longitude
H Altitude Colour Map (if srtm-Data available)
M Compose Message
R toggle Radiorange Map on/off
S Screenshot bpm (win), png (linux)
W Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( ) Map Brightness +/- 5%
/ zoom to Marker 1-2 Square
\ shortcut list
~ change track colour
+ Zoom in - Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected (Symbol, Waypoint)
TAB switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste
```

## Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)