

Inhaltsverzeichnis

1. DXL - APRSmap englisch	18
2. Benutzer:OE2WAO	6
3. DXL - APRSmap	10
4. DXL - APRSmap Download	14

DXL - APRSmap englisch

Versionsgeschichte interaktiv durchsuchen
Visuell Wikitext

Version vom 16. August 2015, 12:09 Uhr
(**Quelltext anzeigen**)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Features](#))

← Zum vorherigen Versionsunterschied

Version vom 17. September 2015, 22:08 Uhr
(**Quelltext anzeigen**)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Shortcuts](#))

Zum nächsten Versionsunterschied →

Zeile 26:

	===Shortcuts===
-	: delete markers
-	@ reset <On Next Click> to menu mode
-	A Animate
-	B or <Backspace> go back in position history
-	C Center (to last clicked Pixel)
-	E toggle Errors only/All for stepping along a track with <>
-	F Junk Filter toggle on/off
-	H Heard (click symbol or text of igate before)
-	I Internal Status Listing
-	L toggle labels on/off
-	M toggle dimm not moving since 10min
-	O toggle Objects/Items on/off
-	Q Quit Program
-	R toggle Radio tracks on/off
-	S Screenshot ppm/bpm
-	V make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

	===Shortcuts===
+	: delete markers
+	@ reset <On Next Click> to menu mode
+	a Animate (Click to Map to set Parameters)
+	b or <Backspace> go back in position history
+	c Center (to last clicked Pixel)
+	d toggle (missing) map download
+	e toggle Errors only/All for stepping along a track with <>
+	f Junk Filter toggle on/off
+	h Heard (click symbol or text of igate before)
+	i Internal Status Listing
+	l toggle Labels on/off
+	m toggle dimm not moving since 10min
+	o toggle Objects/Items on/off
+	p toggle mouse-over Hints
+	q Quit Program
+	r toggle Radio tracks on/off

- W toggle Wx temperature map (use topo or no map)	+	s toggle show only stations with a selected symbol
- X set Marker 1 to clicked position	+	u toggle tx/rx-Monitor window on/off
- Y set Marker 2 and Line to Marker 1	+	w toggle WX stations and Temperature
- / zoom to Marker 1-2 Square	+	x set Marker 1 to mouse position
- ~ change track colour	+	y set Marker 2 and Line to Marker 1
- + Zoom in	+	B Open Beacon editor
- - Zoom out	+	F Find Call (with wildcards * ?), Locator, Latitude/Longitude
- . zoom to track and show only this (clicked before)	+	H Altitude Colour Map (if srtm-Data available)
- = same as . but with radio tracks	+	M Compose Message
- 0 show all (and radio tracks off)	+	R toggle Radiorange Map on/off
- 1,2,3,4 Zoom/Pan to stored Views	+	S Screenshot bpm (win), png (linux)
- 7 use osm map	+	W Rain map (use topo or dark map)
- 9 use osm topo map	+	< > Step along Beacons/Waypoints of a selected User
- ESC close menus	+	() Map Brightness +- 5%
- Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
- SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ shortcut list
- DEL delete selected	+	~ change track colour
	+	+ Zoom in - Zoom out
	+	. zoom to track and show only this (clicked before)
	+	= same as . but with radio tracks
	+	0 show all (and radio tracks off)
	+	1,2,3,4 Zoom/Pan to stored Views
	+	7,8,9 use map type as configured
	+	ESC close menus

- + Cursor up/down/left/right move map, same as click near margin
- + SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
- + **DEL** delete selected (**Symbol, Waypoint**)
- + **TAB** switch between two Views
- + **ctrl-L** Reset Image and Mouse parameters to default
- + **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

Version vom 17. September 2015, 22:08 Uhr



Für die deutsche Version dieses Projekts [>>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:aprsmap.png

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
a Animate (Click to Map to set Parameters)
b or <Backspace> go back in position history
c Center (to last clicked Pixel)
d toggle (missing) map download
e toggle Errors only/All for stepping along a track with <>
f Junk Filter toggle on/off
h Heard (click symbol or text of igate before)
i Internal Status Listing
l toggle Labels on/off
m toggle dimm not moving since 10min
o toggle Objects/Items on/off
p toggle mouse-over Hints
q Quit Program
r toggle Radio tracks on/off
s toggle show only stations with a selected symbol
u toggle tx/rx-Monitor window on/off
w toggle WX stations and Temperature
x set Marker 1 to mouse position
y set Marker 2 and Line to Marker 1
B Open Beacon editor
F Find Call (with wildcards * ?), Locator, Latitude/Longitude
H Altitude Colour Map (if srtm-Data available)
M Compose Message
R toggle Radiorange Map on/off
S Screenshot bpm (win), png (linux)
W Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( ) Map Brightness +/- 5%
/ zoom to Marker 1-2 Square
\ shortcut list
~ change track colour
+ Zoom in - Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected (Symbol, Waypoint)
TAB switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste
```

Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

Version vom 16. August 2015, 12:09 Uhr

(Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

Version vom 17. September 2015, 22:08

Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Shortcuts](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 26:

	===Shortcuts===
-	: delete markers
-	@ reset <On Next Click> to menu mode
-	A Animate
-	B or <Backspace> go back in position history
-	C Center (to last clicked Pixel)
-	E toggle Errors only/All for stepping along a track with <>
-	F Junk Filter toggle on/off
-	H Heard (click symbol or text of igate before)
-	I Internal Status Listing
-	L toggle labels on/off
-	M toggle dimm not moving since 10min
-	O toggle Objects/Items on/off
-	Q Quit Program
-	R toggle Radio tracks on/off
-	S Screenshot ppm/bpm
-	V make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

	===Shortcuts===
+	: delete markers
+	@ reset <On Next Click> to menu mode
+	a Animate (Click to Map to set Parameters)
+	b or <Backspace> go back in position history
+	c Center (to last clicked Pixel)
+	d toggle (missing) map download
+	e toggle Errors only/All for stepping along a track with <>
+	f Junk Filter toggle on/off
+	h Heard (click symbol or text of igate before)
+	i Internal Status Listing
+	l toggle Labels on/off
+	m toggle dimm not moving since 10min
+	o toggle Objects/Items on/off
+	p toggle mouse-over Hints
+	q Quit Program
+	r toggle Radio tracks on/off

- W toggle Wx temperature map (use topo or no map)	+	s toggle show only stations with a selected symbol
- X set Marker 1 to clicked position	+	u toggle tx/rx-Monitor window on/off
- Y set Marker 2 and Line to Marker 1	+	w toggle WX stations and Temperature
- / zoom to Marker 1-2 Square	+	x set Marker 1 to mouse position
- ~ change track colour	+	y set Marker 2 and Line to Marker 1
- + Zoom in	+	B Open Beacon editor
- - Zoom out	+	F Find Call (with wildcards * ?), Locator, Latitude/Longitude
- . zoom to track and show only this (clicked before)	+	H Altitude Colour Map (if srtm-Data available)
- = same as . but with radio tracks	+	M Compose Message
- 0 show all (and radio tracks off)	+	R toggle Radiorange Map on/off
- 1,2,3,4 Zoom/Pan to stored Views	+	S Screenshot bpm (win), png (linux)
- 7 use osm map	+	W Rain map (use topo or dark map)
- 9 use osm topo map	+	< > Step along Beacons/Waypoints of a selected User
- ESC close menus	+	() Map Brightness +- 5%
- Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
- SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ shortcut list
- DEL delete selected	+	~ change track colour
	+	+ Zoom in - Zoom out
	+	. zoom to track and show only this (clicked before)
	+	= same as . but with radio tracks
	+	0 show all (and radio tracks off)
	+	1,2,3,4 Zoom/Pan to stored Views
	+	7,8,9 use map type as configured
	+	ESC close menus

+ Cursor up/down/left/right move map, same as click near margin

+ SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps

+ **DEL** delete selected (**Symbol, Waypoint**)

+ **TAB** switch between two Views

+ **ctrl-L** Reset Image and Mouse parameters to default

+ **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

Version vom 17. September 2015, 22:08 Uhr



Für die deutsche Version dieses Projekts >>[hier klicken](#)<<

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:aprsmap.png

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

Shortcuts

```

:   delete markers
@   reset <On Next Click> to menu mode
a   Animate (Click to Map to set Parameters)
b   or <Backspace> go back in position history
c   Center (to last clicked Pixel)
d   toggle (missing) map download
e   toggle Errors only/All for stepping along a track with <>
f   Junk Filter toggle on/off
h   Heard (click symbol or text of igate before)
i   Internal Status Listing
l   toggle Labels on/off
m   toggle dimm not moving since 10min
o   toggle Objects/Items on/off
p   toggle mouse-over Hints
q   Quit Program
r   toggle Radio tracks on/off
s   toggle show only stations with a selected symbol
u   toggle tx/rx-Monitor window on/off
w   toggle WX stations and Temperature
x   set Marker 1 to mouse position
y   set Marker 2 and Line to Marker 1
B   Open Beacon editor
F   Find Call (with wildcards * ?), Locator, Latitude/Longitude
H   Altitude Colour Map (if srtm-Data available)
M   Compose Message
R   toggle Radiorange Map on/off
S   Screenshot bpm (win), png (linux)
W   Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( )  Map Brightness +/- 5%
/    zoom to Marker 1-2 Square
\    shortcut list
~    change track colour
+    Zoom in - Zoom out
.    zoom to track and show only this (clicked before)
=    same as . but with radio tracks
0    show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC  close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL  delete selected (Symbol, Waypoint)
TAB  switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste

```

Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

Version vom 16. August 2015, 12:09 Uhr

(Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

Version vom 17. September 2015, 22:08

Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Shortcuts](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 26:

	===Shortcuts===
-	: delete markers
-	@ reset <On Next Click> to menu mode
-	A Animate
-	B or <Backspace> go back in position history
-	C Center (to last clicked Pixel)
-	E toggle Errors only/All for stepping along a track with <>
-	F Junk Filter toggle on/off
-	H Heard (click symbol or text of igate before)
-	I Internal Status Listing
-	L toggle labels on/off
-	M toggle dimm not moving since 10min
-	O toggle Objects/Items on/off
-	Q Quit Program
-	R toggle Radio tracks on/off
-	S Screenshot ppm/bpm
-	V make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

	===Shortcuts===
+	: delete markers
+	@ reset <On Next Click> to menu mode
+	a Animate (Click to Map to set Parameters)
+	b or <Backspace> go back in position history
+	c Center (to last clicked Pixel)
+	d toggle (missing) map download
+	e toggle Errors only/All for stepping along a track with <>
+	f Junk Filter toggle on/off
+	h Heard (click symbol or text of igate before)
+	i Internal Status Listing
+	l toggle Labels on/off
+	m toggle dimm not moving since 10min
+	o toggle Objects/Items on/off
+	p toggle mouse-over Hints
+	q Quit Program
+	r toggle Radio tracks on/off

- W toggle Wx temperature map (use topo or no map)	+	s toggle show only stations with a selected symbol
- X set Marker 1 to clicked position	+	u toggle tx/rx-Monitor window on/off
- Y set Marker 2 and Line to Marker 1	+	w toggle WX stations and Temperature
- / zoom to Marker 1-2 Square	+	x set Marker 1 to mouse position
- ~ change track colour	+	y set Marker 2 and Line to Marker 1
- + Zoom in	+	B Open Beacon editor
- - Zoom out	+	F Find Call (with wildcards * ?), Locator, Latitude/Longitude
- . zoom to track and show only this (clicked before)	+	H Altitude Colour Map (if srtm-Data available)
- = same as . but with radio tracks	+	M Compose Message
- 0 show all (and radio tracks off)	+	R toggle Radiorange Map on/off
- 1,2,3,4 Zoom/Pan to stored Views	+	S Screenshot bpm (win), png (linux)
- 7 use osm map	+	W Rain map (use topo or dark map)
- 9 use osm topo map	+	< > Step along Beacons/Waypoints of a selected User
- ESC close menus	+	() Map Brightness +- 5%
- Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
- SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ shortcut list
- DEL delete selected	+	~ change track colour
	+	+ Zoom in - Zoom out
	+	. zoom to track and show only this (clicked before)
	+	= same as . but with radio tracks
	+	0 show all (and radio tracks off)
	+	1,2,3,4 Zoom/Pan to stored Views
	+	7,8,9 use map type as configured
	+	ESC close menus

- + Cursor up/down/left/right move map, same as click near margin
- + SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
- + **DEL** delete selected (**Symbol, Waypoint**)
- + **TAB** switch between two Views
- + **ctrl-L** Reset Image and Mouse parameters to default
- + **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

Version vom 17. September 2015, 22:08 Uhr



Für die deutsche Version dieses Projekts [>>hier klicken<<](#)

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei: [aprsmap.png](#)

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

Shortcuts

```
: delete markers
@ reset <On Next Click> to menu mode
a Animate (Click to Map to set Parameters)
b or <Backspace> go back in position history
c Center (to last clicked Pixel)
d toggle (missing) map download
e toggle Errors only/All for stepping along a track with <>
f Junk Filter toggle on/off
h Heard (click symbol or text of igate before)
i Internal Status Listing
l toggle Labels on/off
m toggle dimm not moving since 10min
o toggle Objects/Items on/off
p toggle mouse-over Hints
q Quit Program
r toggle Radio tracks on/off
s toggle show only stations with a selected symbol
u toggle tx/rx-Monitor window on/off
w toggle WX stations and Temperature
x set Marker 1 to mouse position
y set Marker 2 and Line to Marker 1
B Open Beacon editor
F Find Call (with wildcards * ?), Locator, Latitude/Longitude
H Altitude Colour Map (if srtm-Data available)
M Compose Message
R toggle Radiorange Map on/off
S Screenshot bpm (win), png (linux)
W Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( ) Map Brightness +/- 5%
/ zoom to Marker 1-2 Square
\ shortcut list
~ change track colour
+ Zoom in - Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected (Symbol, Waypoint)
TAB switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste
```

Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

Version vom 16. August 2015, 12:09 Uhr

(**Quelltext anzeigen**)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Features](#))

← Zum vorherigen Versionsunterschied

Version vom 17. September 2015, 22:08

Uhr (**Quelltext anzeigen**)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Shortcuts](#))

Zum nächsten Versionsunterschied →

Zeile 26:

	===Shortcuts===
-	: delete markers
-	@ reset <On Next Click> to menu mode
-	A Animate
-	B or <Backspace> go back in position history
-	C Center (to last clicked Pixel)
-	E toggle Errors only/All for stepping along a track with <>
-	F Junk Filter toggle on/off
-	H Heard (click symbol or text of igate before)
-	I Internal Status Listing
-	L toggle labels on/off
-	M toggle dimm not moving since 10min
-	O toggle Objects/Items on/off
-	Q Quit Program
-	R toggle Radio tracks on/off
-	S Screenshot ppm/bpm
-	V make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

	===Shortcuts===
+	: delete markers
+	@ reset <On Next Click> to menu mode
+	a Animate (Click to Map to set Parameters)
+	b or <Backspace> go back in position history
+	c Center (to last clicked Pixel)
+	d toggle (missing) map download
+	e toggle Errors only/All for stepping along a track with <>
+	f Junk Filter toggle on/off
+	h Heard (click symbol or text of igate before)
+	i Internal Status Listing
+	l toggle Labels on/off
+	m toggle dimm not moving since 10min
+	o toggle Objects/Items on/off
+	p toggle mouse-over Hints
+	q Quit Program
+	r toggle Radio tracks on/off

- W toggle Wx temperature map (use topo or no map)	+	s toggle show only stations with a selected symbol
- X set Marker 1 to clicked position	+	u toggle tx/rx-Monitor window on/off
- Y set Marker 2 and Line to Marker 1	+	w toggle WX stations and Temperature
- / zoom to Marker 1-2 Square	+	x set Marker 1 to mouse position
- ~ change track colour	+	y set Marker 2 and Line to Marker 1
- + Zoom in	+	B Open Beacon editor
- - Zoom out	+	F Find Call (with wildcards * ?), Locator, Latitude/Longitude
- . zoom to track and show only this (clicked before)	+	H Altitude Colour Map (if srtm-Data available)
- = same as . but with radio tracks	+	M Compose Message
- 0 show all (and radio tracks off)	+	R toggle Radiorange Map on/off
- 1,2,3,4 Zoom/Pan to stored Views	+	S Screenshot bpm (win), png (linux)
- 7 use osm map	+	W Rain map (use topo or dark map)
- 9 use osm topo map	+	< > Step along Beacons/Waypoints of a selected User
- ESC close menus	+	() Map Brightness +- 5%
- Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
- SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ shortcut list
- DEL delete selected	+	~ change track colour
	+	+ Zoom in - Zoom out
	+	. zoom to track and show only this (clicked before)
	+	= same as . but with radio tracks
	+	0 show all (and radio tracks off)
	+	1,2,3,4 Zoom/Pan to stored Views
	+	7,8,9 use map type as configured
	+	ESC close menus

+ Cursor up/down/left/right move map, same as click near margin

+ SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps

+ **DEL** delete selected (**Symbol, Waypoint**)

+ **TAB** switch between two Views

+ **ctrl-L** Reset Image and Mouse parameters to default

+ **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

Version vom 17. September 2015, 22:08 Uhr



Für die deutsche Version dieses Projekts >>[hier klicken](#)<<

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:aprsmap.png

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

Shortcuts

```

: delete markers
@ reset <On Next Click> to menu mode
a Animate (Click to Map to set Parameters)
b or <Backspace> go back in position history
c Center (to last clicked Pixel)
d toggle (missing) map download
e toggle Errors only/All for stepping along a track with <>
f Junk Filter toggle on/off
h Heard (click symbol or text of igate before)
i Internal Status Listing
l toggle Labels on/off
m toggle dimm not moving since 10min
o toggle Objects/Items on/off
p toggle mouse-over Hints
q Quit Program
r toggle Radio tracks on/off
s toggle show only stations with a selected symbol
u toggle tx/rx-Monitor window on/off
w toggle WX stations and Temperature
x set Marker 1 to mouse position
y set Marker 2 and Line to Marker 1
B Open Beacon editor
F Find Call (with wildcards * ?), Locator, Latitude/Longitude
H Altitude Colour Map (if srtm-Data available)
M Compose Message
R toggle Radiorange Map on/off
S Screenshot bpm (win), png (linux)
W Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( ) Map Brightness +/- 5%
/ zoom to Marker 1-2 Square
\ shortcut list
~ change track colour
+ Zoom in - Zoom out
. zoom to track and show only this (clicked before)
= same as . but with radio tracks
0 show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL delete selected (Symbol, Waypoint)
TAB switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste

```

Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)

DXL - APRSmap englisch: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

Version vom 16. August 2015, 12:09 Uhr

(Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Features](#))

[← Zum vorherigen Versionsunterschied](#)

Version vom 17. September 2015, 22:08

Uhr (Quelltext anzeigen)

OE2WAO ([Diskussion](#) | [Beiträge](#))

K ([→Shortcuts](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 26:

	===Shortcuts===
-	: delete markers
-	@ reset <On Next Click> to menu mode
-	A Animate
-	B or <Backspace> go back in position history
-	C Center (to last clicked Pixel)
-	E toggle Errors only/All for stepping along a track with <>
-	F Junk Filter toggle on/off
-	H Heard (click symbol or text of igate before)
-	I Internal Status Listing
-	L toggle labels on/off
-	M toggle dimm not moving since 10min
-	O toggle Objects/Items on/off
-	Q Quit Program
-	R toggle Radio tracks on/off
-	S Screenshot ppm/bpm
-	V make Video map.v4m uncompressed in YUV4MPEG2 format

Zeile 26:

	===Shortcuts===
+	: delete markers
+	@ reset <On Next Click> to menu mode
+	a Animate (Click to Map to set Parameters)
+	b or <Backspace> go back in position history
+	c Center (to last clicked Pixel)
+	d toggle (missing) map download
+	e toggle Errors only/All for stepping along a track with <>
+	f Junk Filter toggle on/off
+	h Heard (click symbol or text of igate before)
+	i Internal Status Listing
+	l toggle Labels on/off
+	m toggle dimm not moving since 10min
+	o toggle Objects/Items on/off
+	p toggle mouse-over Hints
+	q Quit Program
+	r toggle Radio tracks on/off

- W toggle Wx temperature map (use topo or no map)	+	s toggle show only stations with a selected symbol
- X set Marker 1 to clicked position	+	u toggle tx/rx-Monitor window on/off
- Y set Marker 2 and Line to Marker 1	+	w toggle WX stations and Temperature
- / zoom to Marker 1-2 Square	+	x set Marker 1 to mouse position
- ~ change track colour	+	y set Marker 2 and Line to Marker 1
- + Zoom in	+	B Open Beacon editor
- - Zoom out	+	F Find Call (with wildcards * ?), Locator, Latitude/Longitude
- . zoom to track and show only this (clicked before)	+	H Altitude Colour Map (if srtm-Data available)
- = same as . but with radio tracks	+	M Compose Message
- 0 show all (and radio tracks off)	+	R toggle Radiorange Map on/off
- 1,2,3,4 Zoom/Pan to stored Views	+	S Screenshot bpm (win), png (linux)
- 7 use osm map	+	W Rain map (use topo or dark map)
- 9 use osm topo map	+	< > Step along Beacons/Waypoints of a selected User
- ESC close menus	+	() Map Brightness +- 5%
- Cursor up/down/left/right move map, same as click near margin	+	/ zoom to Marker 1-2 Square
- SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps	+	\ shortcut list
- DEL delete selected	+	~ change track colour
	+	+ Zoom in - Zoom out
	+	. zoom to track and show only this (clicked before)
	+	= same as . but with radio tracks
	+	0 show all (and radio tracks off)
	+	1,2,3,4 Zoom/Pan to stored Views
	+	7,8,9 use map type as configured
	+	ESC close menus

+ Cursor up/down/left/right move map, same as click near margin

+ SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps

+ **DEL** delete selected (**Symbol, Waypoint**)

+ **TAB** switch between two Views

+ **ctrl-L** Reset Image and Mouse parameters to default

+ **ctrl-V** Paste

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

==[[DXL - APRSmap Download | Download]]==

[[DXL - APRSmap Download | APRSmap Download]] - For Windows, Linux and ARM (Raspberry Pi)

Version vom 17. September 2015, 22:08 Uhr



Für die deutsche Version dieses Projekts >>[hier klicken](#)<<

APRSmap is a new APRS client software by OE5DXL, which is based on the [OSM](#) map source. It allows a lot of features in only one program by a good usability. NO installation is required, just put it on a disk and start it!

Datei:aprsmap.png

A lot of documentation work has to be done soon !!

Features

- OpenSource and already compiled for windows and linux
- 100% compliance with the current APRS protocol specifications
- No installation required, just copy and start
- No unnecessary menus, focus is on the representation
- IP-based, out-of-the-box network-ready in HAMNET and Internet
- Operation via shortcuts
- Local serial connection (TNC) possible - operating as an RF IGATE
- Several MapSources can be used. By default, this is OSM - OpenStreetMap
- Downloading map source on demand

- Track filter for delayed / late / repeated packets "f"
- Radio propagation calculation (since v0.36) "R"
- Animation of tracks with timeline "a"
- Animation of the temperature distribution "w"
- Messaging

Shortcuts

```

:    delete markers
@    reset <On Next Click> to menu mode
a    Animate (Click to Map to set Parameters)
b    or <Backspace> go back in position history
c    Center (to last clicked Pixel)
d    toggle (missing) map download
e    toggle Errors only/All for stepping along a track with <>
f    Junk Filter toggle on/off
h    Heard (click symbol or text of igate before)
i    Internal Status Listing
l    toggle Labels on/off
m    toggle dimm not moving since 10min
o    toggle Objects/Items on/off
p    toggle mouse-over Hints
q    Quit Program
r    toggle Radio tracks on/off
s    toggle show only stations with a selected symbol
u    toggle tx/rx-Monitor window on/off
w    toggle WX stations and Temperature
x    set Marker 1 to mouse position
y    set Marker 2 and Line to Marker 1
B    Open Beacon editor
F    Find Call (with wildcards * ?), Locator, Latitude/Longitude
H    Altitude Colour Map (if srtm-Data available)
M    Compose Message
R    toggle Radiorange Map on/off
S    Screenshot bpm (win), png (linux)
W    Rain map (use topo or dark map)
< > Step along Beacons/Waypoints of a selected User
( )  Map Brightness +/- 5%
/    zoom to Marker 1-2 Square
\    shortcut list
~    change track colour
+    Zoom in - Zoom out
.    zoom to track and show only this (clicked before)
=    same as . but with radio tracks
0    show all (and radio tracks off)
1,2,3,4 Zoom/Pan to stored Views
7,8,9 use map type as configured
ESC  close menus
Cursor up/down/left/right move map, same as click near margin
SHIFT with up/down/left/right/[zoom+]/[zoom-] in smaller steps
DEL  delete selected (Symbol, Waypoint)
TAB  switch between two Views
ctrl-L Reset Image and Mouse parameters to default
ctrl-V Paste

```

Download

[APRSmap Download](#) - For Windows, Linux and ARM (Raspberry Pi)