
Inhaltsverzeichnis

Datei:Grandstream2020-1.PNG

- [Datei](#)
- [Dateiversionen](#)
- [Dateiverwendung](#)

Grandstream Device Configuration

STATUS	BASIC SETTINGS	ADVANCED SETTINGS	EXT 1	EXT 2
ACCOUNT 1	ACCOUNT 2	ACCOUNT 3	ACCOUNT 4	ACCOUNT 5

ACCOUNT 6

Account Active:

☐ No ☒ Yes

Account Name:

Hamnet

(e.g., MyCompany)

SIP Server:

voip.oe2xr.ampr.at

(e.g., sip.mycompany.com, or IP address)

Outbound Proxy:

(e.g., proxy.myprovider.com, or IP address)

SIP User ID:

<Ham Tel.Nr>

(the user part of an SIP address)

Authenticate ID:

<Ham Tel.Nr>

(can be same or different from SIP UserID)

Authenticate Password:

(not displayed for security protection)

Name:

CALL

(optional, e.g., John Doe)

Use DNS SRV:

☒ No ☐ Yes

User ID is phone number:

☐ No ☒ Yes

SIP Registration:

☐ No ☒ Yes

Unregister On Reboot:

☒ No ☐ Yes

Support SIP Instance ID

☒ No ☐ Yes

Register Expiration:

60

(in minutes. default 1 hour, max 45 days)

local SIP port:

5060

(default 5060)

SIP Registration Failure Retry Wait Time:

20

(in seconds. Between 1-3600, default is 20)

SIP T1 Timeout:

1 sec

SIP T2 Interval:

4 sec

SIP Transport:

☒ UDP ☐ TCP

Use RFC3581 Symmetric Routing:

☐ No ☒ Yes

NAT Traversal (STUN):

☒ No ☐ No, but send keep-alive ☐ Yes

SUBSCRIBE for MWI:

☒ No ☐ Yes

SUBSCRIBE for Registration Event:

☒ No ☐ Yes

PUBLISH for Presence:

☒ No ☐ Yes

Proxy-Require:

Voice Mail UserID:

(UserID for voice mail system)

Send DTMF:

☒ in-audio ☐ via RTP (RFC2833) ☐ via SIP INFO

Early Dial:

☒ No ☐ Yes (use "Yes" only if proxy supports 484 response)

Dial Plan Prefix:

(this prefix string is added to each dialed number)

BLF Call-pickup Prefix:

**

(this prefix is prepended when answering call with BLF key)

Delayed Call Forward Wait Time:

20

(Allowed range 1-120, in seconds.)

Enable Call Features:

☐ No ☒ Yes (if yes, call features using star codes will be supported locally)

Call Log:

☒ Log All Calls ☐ Log Incoming/Outgoing only (Missed calls NOT recorded) ☐ Disable Call Log


Größe dieser Vorschau: 504 × 599 Pixel. Weitere Auflösungen: 202 × 240 Pixel | 855 × 1.016 Pixel.

[Originaldatei](#) (855 × 1.016 Pixel, Dateigröße: 89 KB, MIME-Typ: image/png)

Screenshot by OE2WNL

Dateiversionen

Klicken Sie auf einen Zeitpunkt, um diese Version zu laden.

	Version vom	Vorschaubild	Maße	Benutzer	Kommentar
aktuell	00:56, 16. Mär. 2014		855 × 1.016 (89 KB)	OE2WNL (Diskussion)	Snapshot by OE2WNL Beiträge

Sie können diese Datei nicht überschreiben.

Dateiverwendung

Die folgende Datei ist ein Duplikat dieser Datei ([weitere Details](#)):

- [Datei:Granstream2020-1.PNG](#)

Die folgende Seite verwendet diese Datei:

- [VoIP Einstellungen](#)