

---

## Inhaltsverzeichnis

## Datei:Grandstream2020-2.PNG

### Basisinformationen

Anzeigetitel	Datei:Grandstream2020-2.PNG
Standardsortierschlüssel	Grandstream2020-2.PNG
Seitenlänge (in Bytes)	20
Namensraum	Datei
Seitenkennnummer	2148
Seiteninhaltssprache	de-formal - Deutsch (Sie-Form)
Seiteninhaltsmodell	Wikitext
Indizierung durch Suchmaschinen	Erlaubt
<a href="#">Anzahl der Weiterleitungen zu dieser Seite</a>	0
Prüfsummenwert	6666c29fc3ef6a2fa55100594fd67d8354d4ca38
Seitenbild	<p>The screenshot shows a configuration page for SIP settings. Key sections include:         <ul style="list-style-type: none"> <li><b>Session Expiration:</b> 180 (in seconds, default 180 seconds)</li> <li><b>Min-SE:</b> 90 (in seconds, default and minimum 90 seconds)</li> <li><b>Caller Request Timer:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes (Request for timer when making outbound calls)</li> <li><b>Caller Request Timer:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes (When caller supports timer but did not request one)</li> <li><b>Force Timer:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes (Use timer even when remote party does not support)</li> <li><b>UAC Specify Refresher:</b> <input type="radio"/> UAC <input type="radio"/> UAS <input checked="" type="radio"/> Omit (Recommended)</li> <li><b>UAS Specify Refresher:</b> <input checked="" type="radio"/> UAC <input type="radio"/> UAS (When UAC did not specify refresher tag)</li> <li><b>Force INVITE:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes (Always refresh with INVITE instead of UPDATE)</li> <li><b>Enable 100rel:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Account Ring Tone:</b> <input checked="" type="radio"/> system ring tone <input type="radio"/> custom ring tone 1 <input type="radio"/> custom ring tone 2 <input type="radio"/> custom ring tone 3</li> <li><b>Ring Timeout:</b> 60 (in seconds, Between 30-3600, default is 60)</li> <li><b>Send Anonymous:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes (caller ID will be blocked if set to Yes)</li> <li><b>Anonymous Method:</b> <input checked="" type="radio"/> Use From Header <input type="radio"/> Use Privacy Header</li> <li><b>Anonymous Call Rejection:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Auto Answer:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Allow Auto Answer by Call-Info:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Turn off speaker on remote disconnect:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Check SIP User ID for incoming INVITE:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Refer-To Use Target Contact:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Disable Multiple Media Attribute in SDP:</b> <input checked="" type="radio"/> No <input type="radio"/> Yes</li> <li><b>Preferred Vocoder:</b> (in listed order) choice 1-8: GSM</li> <li><b>SRTP Mode:</b> <input checked="" type="radio"/> Disabled <input type="radio"/> Enabled but not forced <input type="radio"/> Enabled and forced <input type="radio"/> Optional</li> <li><b>eventlist BLF URI:</b> [empty field]</li> <li><b>Special Feature:</b> Standard</li> </ul> </p>

### Seitenschutz

Bearbeiten	Alle Benutzer (unbeschränkt)
Verschieben	Alle Benutzer (unbeschränkt)
Hochladen	Alle Benutzer (unbeschränkt)

[Das Seitenschutz-Logbuch für diese Seite ansehen.](#)

### Versionsgeschichte

Seitenersteller	OE2WNL ( <a href="#">Diskussion</a>   <a href="#">Beiträge</a> )
-----------------	--

Datum der Seitenerstellung	00:56, 16. Mär. 2014
Letzter Bearbeiter	<a href="#">OE2WNL</a> ( <a href="#">Diskussion</a>   <a href="#">Beiträge</a> )
Datum der letzten Bearbeitung	00:56, 16. Mär. 2014
Gesamtzahl der Bearbeitungen	1
Gesamtzahl unterschiedlicher Autoren	1
Anzahl der kürzlich erfolgten Bearbeitungen (in den letzten 90 Tagen)	0
Anzahl unterschiedlicher Autoren der kürzlich erfolgten Bearbeitungen	0