
Inhaltsverzeichnis

Echolink via iPhone

[Versionsgeschichte interaktiv durchsuchen](#)
[Visuell Wikitext](#)

Version vom 22. November 2009, 23:36

[Uhr \(Quelltext anzeigen\)](#)

[OE1CWJ](#) ([Diskussion](#) | [Beiträge](#))

(Die Seite wurde geleert.)

[← Zum vorherigen Versionsunterschied](#)

Zeile 1:

Version vom 28. November 2009, 14:33

[Uhr \(Quelltext anzeigen\)](#)

[OE1CWJ](#) ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 1:

+ **== 2m Band ==**

+

+ **The 2-meter amateur radio band is a portion of the VHF radio spectrum, comprising frequencies stretching from 144.000 MHz to 148.000 MHz in International Telecommunication Union region (ITU) Regions 2 (North & South America plus Hawaii) and 3 (Asia and Oceania)[1] and from 144.000 MHz to 146.000 MHz in ITU Region 1 (Europe, Africa, and Russia). [2][3][4] The license privileges of amateur radio operators include the use of frequencies within this band for telecommunication, usually conducted locally within a range of about 100 miles (160 km).**

+

+

+ **== Operating on the 2-meter band ==**

+

+

Because it is local and reliable, and because the licensing requirements to transmit on the 2-meter band are easy to meet in many parts of the world,[5] this band is one of the most popular non-HF ham bands. This popularity, the compact size of

+ needed radios and antennas, and this band's ability to provide easy reliable local communications also means that it is also the most used band for local emergency communications efforts, such as providing communications between Red Cross shelters and local authorities.[6] In the US, that role in emergency communications is furthered by the fact that seemingly every amateur-radio operator has a 2-meter handheld transceiver (HT), or walkie-talkie.

+
Much of 2-meter FM operation uses a radio repeater, a radio receiver and transmitter that instantly retransmits a signal over a longer distance. However, even without repeaters available, it provides reliable crosstown communications throughout smaller towns, making it ideal for emergency communications. Simple radios for FM repeater operation have become plentiful and inexpensive in recent years.

+
+
+ == Long distance communications ==

+
While the 2-meter band is best known as a local band, there are many opportunities for long distance (DX) communications. Occasionally, bending in the atmosphere's troposphere (ducting) can allow 2-meter signals to carry hundreds of miles. This is called skip

+
In rare cases, Sporadic E propagation can bring contacts well over a 1,000 miles (1,600 km). The 2-meter band is

+ also utilized in conjunction with the 70-centimeter band (Mode B or V/U) [clarification needed] on some amateur radio satellites, giving distances of up to around 3,000 miles (4,800 km) with a Low Earth Orbit satellite.

+

+

+ By speeding up Morse code using an audio tape recorder, or using a computer, very short bursts of signal can be bounced off the ionized gas trail of meteor showers allowing DX. This is often called burst transmission.

+

+ Another phenomenon that produces upper atmosphere ionization suitable for 2-meter DXing are the auroras. Since the ionization persists much longer than meteor trails, regular audio signals can be used, but the constant movement of the ionized gas leads to heavy distortion of the signals causing the audio to sound 'ghostly' and whispered.

+

+ To communicate over the longest distances hams use moon bounce. This involves high power and good antennas to reflect the VHF signals off the moon. VHF signals normally escape the Earth's atmosphere, so using the moon as a target is quite practical. Due to the delay of the signal traveling to the moon and back (travel time approx. 2.5 seconds), a person transmitting may hear the end of his own transmission returning.

Version vom 28. November 2009, 14:33 Uhr

2m Band

The 2-meter amateur radio band is a portion of the VHF radio spectrum, comprising frequencies stretching from 144.000 MHz to 148.000 MHz in International Telecommunication Union region (ITU) Regions 2 (North & South America plus Hawaii) and 3 (Asia and Oceania)[1] and from 144.000 MHz to 146.000 MHz in ITU Region 1 (Europe, Africa, and Russia).[2][3][4] The license privileges of amateur radio operators include the use of frequencies within this band for telecommunication, usually conducted locally within a range of about 100 miles (160 km).

Operating on the 2\meter band

Because it is local and reliable, and because the licensing requirements to transmit on the 2-meter band are easy to meet in many parts of the world,[5] this band is one of the most popular non-HF ham bands. This popularity, the compact size of needed radios and antennas, and this band's ability to provide easy reliable local communications also means that it is also the most used band for local emergency communications efforts, such as providing communications between Red Cross shelters and local authorities.[6] In the US, that role in emergency communications is furthered by the fact that seemingly every amateur-radio operator has a 2-meter handheld transceiver (HT), or walkie-talkie.

Much of 2-meter FM operation uses a radio repeater, a radio receiver and transmitter that instantly retransmits a signal over a longer distance. However, even without repeaters available, it provides reliable crosstown communications throughout smaller towns, making it ideal for emergency communications. Simple radios for FM repeater operation have become plentiful and inexpensive in recent years.

Long distance communications

While the 2-meter band is best known as a local band, there are many opportunities for long distance (DX) communications. Occasionally, bending in the atmosphere's troposphere (ducting) can allow 2-meter signals to carry hundreds of miles. This is called skip

In rare cases, Sporadic E propagation can bring contacts well over a 1,000 miles (1,600 km). The 2-meter band is also utilized in conjunction with the 70-centimeter band (Mode B or V/U) [clarification needed] on some amateur radio satellites, giving distances of up to around 3,000 miles (4,800 km) with a Low Earth Orbit satellite.

By speeding up Morse code using an audio tape recorder, or using a computer, very short bursts of signal can be bounced off the ionized gas trail of meteor showers allowing DX. This is often called burst transmission.

Another phenomenon that produces upper atmosphere ionization suitable for 2-meter DXing are the auroras. Since the ionization persists much longer than meteor trails, regular audio signals can be used, but the constant movement of the ionized gas leads to heavy distortion of the signals causing the audio to sound 'ghostly' and whispered.

To communicate over the longest distances hams use moon bounce. This involves high power and good antennas to reflect the VHF signals off the moon. VHF signals normally escape the Earth's atmosphere, so using the moon as a target is quite practical. Due to the delay of the signal traveling to the moon and back (travel time approx. 2.5 seconds), a person transmitting may hear the end of his own transmission returning.