

Inhaltsverzeichnis

1. Mototrbo-national	36
2. Benutzer:Oe6jwd	19

Mototrbo-national

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 7. November 2014, 23:55
Uhr (Quelltext anzeigen)
Oe6jwd (Diskussion | Beiträge)
(→Österreichweite DMR-Abdeckung: Hytera
TG232 Karte ergänzt)
← Zum vorherigen Versionsunterschied

Version vom 8. November 2014, 00:12
Uhr (Quelltext anzeigen)
Oe6jwd (Diskussion | Beiträge)
(→HYTERA-Umsetzer: aufgeräumt)
Zum nächsten Versionsunterschied →

Zeile 643:		Zeile 643:
width="40" align="center" AUT		width="40" align="center" AUT
width="40" align="center" DEU		width="40" align="center" DEU
– width="40" align="center" OE1	+	width="40" align="center" OE 1 /3/6
– width="40" align="center" OE3		
width="40" align="center" OE8		width="40" align="center" OE8
– width="40" align="center" OE1	+	width="40" align="center" OE 1 /3/6
– width="40" align="center" OE3		
– width="40" align="center" OE6		
– width="40" align="center" OE7		
width="40" align="center" OE8		width="40" align="center" OE8
– width="40" align="center" OE-Ost		
– width="40" align="center" OE7		
width="40" align="center" AUT		width="40" align="center" AUT
Zeile 669:		Zeile 663:
width="40" align="center" 1		width="40" align="center" 1
width="40" align="center" 1		width="40" align="center" 1
– width="40" align="center" 1		
– width="40" align="center" 2		
– width="40" align="center" 2		
– width="40" align="center" 2		

– | width="40" align="center" | 2

– | width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

Zeile 695:

| width="40" align="center" | 9

| width="40" align="center" | 9

Zeile 683:

| width="40" align="center" | 9

| width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 8

– | width="40" align="center" | 8

| width="40" align="center" | 232

| width="40" align="center" | 232

Zeile 717:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

Zeile 699:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

+

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 741:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 765:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 717:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 735:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 789:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 813:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 753:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

+ `|style="font-size:14pt" align="center" | x`

Zeile 771:

`|style="font-size:14pt" align="right"
align="center" | `

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	+ <code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="center" x</code>	<code> style="font-size:14pt" align="center" x</code>
Zeile 837:	Zeile 789:
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	+ <code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	

– **|style="font-size:14pt" align="right"**
**align="center" | **

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 862:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

|style="font-size:14pt" align="center" | x

Zeile 808:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+

|style="font-size:14pt" align="center" | x

Zeile 886:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

Zeile 826:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+

|style="font-size:14pt" align="center" | x

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="center" | x

Zeile 910:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 844:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+

|style="font-size:14pt" align="center" | x

Zeile 934:

|style="font-size:14pt" align="right"
align="center" |

Zeile 862:

|style="font-size:14pt" align="right"
align="center" |

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		+	<code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
<code> style="font-size:14pt" align="center" x</code>			<code> style="font-size:14pt" align="center" x</code>

Zeile 958:

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		+	<code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			

Zeile 880:

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		+	<code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			

|style="font-size:14pt" align="right" align="center" | |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="center" | x

Version vom 8. November 2014, 00:12 Uhr

Inhaltsverzeichnis

1	Allgemeine Info	45
2	Sprechgruppen / Talkgroups in Österreich	45
3	Sprechgruppen (TGs) in Österreich	46
4	Österreichweite DMR-Abdeckung	47
4.1	Motorola	47
4.2	Hytera	48
5	DMR Talkgroup-Vernetzungs-Matrix in Österreich	49
5.1	MOTOROLA-Umsetzer	49
5.2	HYTERA-Umsetzer	51

Allgemeine Info

Für DMR-Funkgespräche stehen pro Umsetzer zwei Zeitschlitz (TS = TimeSlot) zur Verfügung. Durch diese zwei Zeitschlitz ist es möglich 2 Funkgespräche unabhängig von einander am gleichen Umsetzer zzuführen. Innerhalb der Zeitschlitz kann mit Hilfe von Sprechgruppen (TG = TalkGroups) die "Reichweite" des Funkgesprächs gesteuert werden. Für Funkgespräche innerhalb Österreichs sind drei TalkGroups definiert worden:


- TG 232 = für österreichweite Funkgespräche
- TG 8 = für regionale Funkgespräche
- TG 9 = für lokale bzw. regionale Funkgespräche

Für österreichweite und lokale Verbindungen sollte primär der Zeitschlitz 2 (TS 2) verwendet werden, da der Zeitschlitz 1 auch für internationale Verbindungen vorgesehen ist.

Weitere Details zu TS bzw. TG sind bei [Mototrbo-international](#) zu finden

Sprechgruppen / Talkgroups in Österreich

Stand: 28. August 2014



Sprechgruppen (TGs) in Österreich

Diese Sprechgruppen-Liste gilt in Österreich auf den Relais laut Umsetzerliste (siehe **Frequenzen-OE** mit Standortkarte) und sollte somit in allen österreichischen Geräte-Codeplugs (siehe **Mototrbo-Programmierung**) abgebildet sein. Wobei die genaue Verbreitung der TG1x in OE aus der weiter unten stehenden Matrix [\[1\]](#) entnommen werden kann.

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 1	1 WELTWEIT WW	in alle weltweiten Netze	TS 1	für weltweite Anrufe und KURZE QSOs
TG 10	10 WW DEU	in alle weltweiten Netze	TS 1	für weltweite QSOs in deutsch
TG 11	11 WW FRA	in alle weltweiten Netze	TS 1	für weltweite QSOs in französisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 12	12 WW NLD	in alle weltweiten Netze	TS 1	für weltweite QSOs in niederländisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 13	13 WW ENG	in alle weltweiten Netze	TS 1	für weltweite QSOs in englisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 14	14 WW SPA	in alle weltweiten Netze	TS 1	für weltweite QSOs in spanisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 2	2 EUROPA	in alle europäischen Netze	TS 1	für europaweite Anrufe und QSOs
TG 20	20 D-A-CH	Deutschland, Österreich & Schweiz	TS 1	für deutschsprachige Anrufe und QSOs
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 1	für Anrufe und kurze nationale Gespräche in OE
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 1	Lokalbetrieb, wenn TS2 besetzt ist, gilt für alle Regionalnetze
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 2	für längere, österreichweite Gespräche
		regionales Netz (OE1)		

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 8	8 REGIONAL	& OE3)	TS 2	für regionale QSOs
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 2	für längere, lokale QSOs, gilt für alle Regionalnetze
TG 9990	9990 ECHO	keine Weiterleitung	TS 2	Hytera Netz - eigene Ausendung wird wiederholt (Papagei)

Österreichweite DMR-Abdeckung


Detailliertere Informationen/Darstellungen zu den Abdeckungen der einzelnen Umsetzer und der DMR-Regionen (TG 8 & 9) in Österreich sind bei [Mototrbo-Umsetzer-Footprints](#) zu finden

Motorola



Darstellung der Motorola DMR Abdeckung in Österreich auf TG232

Hytera



Darstellung der Hytera DMR Abdeckung in Österreich auf TG232

DMR Talkgroup-Vernetzungs-Matrix in Österreich

Über die Sprechgruppen wird die "Reichweite" der Aussendung in einem Netz (Motorola oder Hytera) 'gesteuert'. Die Aussendungen auf den überregionalen Sprechgruppen (TG1, TG2, TG20, TG232) werden auf alle Umsetzer des Netzes geroutet. Mit den Sprechgruppen (TG8 & TG9) können/werden die Umsetzer in unterschiedliche Regionen zusammengefasst, wodurch das Funkgespräch auf diesen Sprechgruppen und Zeitschlitz (TS) nur in dieser "Region" bleibt. Diese zusammenhängenden Umsetzer sind an Hand der "x" in den jeweiligen Spalten zu erkennen.

MOTOROLA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D-A-CH	AUT	OE1	OE3	OE8
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	9	9	9
Bisamberg OE1XAR	X	X	X	X	X	X	X	X	X			

Wienerberg OE1XQU	X	X	X			X		X	X			
Exelberg OE1XQA	X	X	X			X		X	X			
Bad Vöslau /Harzberg OE3XDB	X	X	X			X		X	X			
Brentenriegl OE4XUB	X	X	X			X		X	X			
Kirchberg /Pielachtal OE3XKC	X	X	X			X		X	X			
Lichtenberg OE5XLL	X	X	X			X		X	X			
Jauerling OE3XHB	X	X	X			X		X	X	X		
Sonntagberg OE3XRB	X	X	X			X		X	X	X		
Pyramidenkogel OE8XKK	X	X	X			X		X	X			X
Magdalensberg OE8XMK	X	X	X			X		X	X			X
Petzen OE8XPK	X	X	X			X		X	X			X
Sonnblick OE2XSV	X	X	X			X		X	X			
Schöckl OE6XAG	X	X	X			X		X	X			
Rennfeld OE6XBG	X	X	X			X		X	X			
Schönbergkopf OE6XAR	X	X	X			X		X	X			
Bruckerberg OE7XZH	X	X	X			X		X	X			
Rangger Köpfl OE7XBI	X	X	X			X		X	X			
Penken OE7XTT	X	X	X			X		X	X			
Bregenz OE9LTV	X	X	X			X		X	X			

HYTERA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D-A-CH	AUT	DEU	OE 1 /3 /6	OE
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	262	9	9
HYT Wien 22 OE1XIK	X	X	X					X	X	X		
HYT Wienerberg OE1XQU	X	X	X					X	X	X		
HYT Laaerberg ¹ OE1XQU	X	X	X					X	X	X		
HYT Hohe Wand OE3XTR	X	X	X					X	X	X		
HYT Stradner Kogel OE6XBF	X	X	X					X	X	X		
HYT Stuhleck Test OE6XCD	X	X	X					X	X	X		
HYT Dobratsch OE8XFK	X	X	X					X	X			
HYT Saurachberg OE8XIK	X	X	X					X	X			
HYT Koralm OE8XLK	X	X	X					X	X			
HYT Magdalensberg ¹ OE8XMK	X	X	X					X	X			
HYT Petzen ¹ OE8XPK	X	X	X					X	X			

¹ = **2m-Umsetzer**

Sprachencodes nach [ISO 639-3](#)

Mototrbo-national: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 7. November 2014, 23:55
Uhr (Quelltext anzeigen)
Oe6jwd (Diskussion | Beiträge)
(→Österreichweite DMR-Abdeckung: Hytera
TG232 Karte ergänzt)
← Zum vorherigen Versionsunterschied

Version vom 8. November 2014, 00:12
Uhr (Quelltext anzeigen)
Oe6jwd (Diskussion | Beiträge)
(→HYTERA-Umsetzer: aufgeräumt)
Zum nächsten Versionsunterschied →

Zeile 643:

	width="40" align="center" AUT
	width="40" align="center" DEU
-	width="40" align="center" OE1
-	width="40" align="center" OE3
	width="40" align="center" OE8
-	width="40" align="center" OE1
-	width="40" align="center" OE3
-	width="40" align="center" OE6
-	width="40" align="center" OE7
	width="40" align="center" OE8
-	width="40" align="center" OE-Ost
-	width="40" align="center" OE7
	width="40" align="center" AUT

Zeile 669:

	width="40" align="center" 1
	width="40" align="center" 1
-	width="40" align="center" 1
-	width="40" align="center" 2
-	width="40" align="center" 2
-	width="40" align="center" 2

Zeile 643:

	width="40" align="center" AUT
	width="40" align="center" DEU
+	width="40" align="center" OE 1 /3/6
	width="40" align="center" OE8
+	width="40" align="center" OE 1 /3/6
	width="40" align="center" OE8
	width="40" align="center" AUT

Zeile 663:

	width="40" align="center" 1
	width="40" align="center" 1

– | width="40" align="center" | 2

– | width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

Zeile 695:

| width="40" align="center" | 9

| width="40" align="center" | 9

Zeile 683:

| width="40" align="center" | 9

| width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 8

– | width="40" align="center" | 8

| width="40" align="center" | 232

| width="40" align="center" | 232

Zeile 717:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

Zeile 699:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

+

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 741:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 765:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 717:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 735:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 789:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

– `|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 813:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="center" | x`

Zeile 753:

`|style="font-size:14pt" align="right"
align="center" | `

`|style="font-size:14pt" align="right"
align="center" | `

+ `|style="font-size:14pt" align="center" | x`

Zeile 771:

`|style="font-size:14pt" align="right"
align="center" | `

<code> style="font-size:14pt" align="right"</code>		<code> style="font-size:14pt" align="right"</code>
<code>align="center" &nbsp;</code>		<code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code>	+	<code> style="font-size:14pt" align="center" x</code>
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
<code> style="font-size:14pt" align="right"</code>		<code> style="font-size:14pt" align="right"</code>
<code>align="center" &nbsp;</code>		<code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="center" x</code>		<code> style="font-size:14pt" align="center" x</code>
Zeile 837:		
<code> style="font-size:14pt" align="right"</code>		<code> style="font-size:14pt" align="right"</code>
<code>align="center" &nbsp;</code>		<code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="right"</code>		<code> style="font-size:14pt" align="right"</code>
<code>align="center" &nbsp;</code>		<code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code>	+	<code> style="font-size:14pt" align="center" x</code>
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		
- <code> style="font-size:14pt" align="right"</code>		
<code>align="center" &nbsp;</code>		

– **|style="font-size:14pt" align="right"**
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 862:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 808:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

+

Zeile 886:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

Zeile 826:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

+

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="center" | x

Zeile 910:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 844:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+

|style="font-size:14pt" align="center" | x

Zeile 934:

|style="font-size:14pt" align="right"
align="center" |

Zeile 862:

|style="font-size:14pt" align="right"
align="center" |

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>	<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		+	<code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
<code> style="font-size:14pt" align="center" x</code>			<code> style="font-size:14pt" align="center" x</code>

Zeile 958:

<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			<code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>		+	<code> style="font-size:14pt" align="center" x</code>
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			
- <code> style="font-size:14pt" align="right"</code> <code>align="center" &nbsp;</code>			

Zeile 880:

|style="font-size:14pt" align="right" align="center" | |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="center" | x

Version vom 8. November 2014, 00:12 Uhr

Inhaltsverzeichnis

1 Allgemeine Info	28
2 Sprechgruppen / Talkgroups in Österreich	28
3 Sprechgruppen (TGs) in Österreich	29
4 Österreichweite DMR-Abdeckung	30
4.1 Motorola	30
4.2 Hytera	31
5 DMR Talkgroup-Vernetzungs-Matrix in Österreich	32
5.1 MOTOROLA-Umsetzer	32
5.2 HYTERA-Umsetzer	34

Allgemeine Info

Für DMR-Funkgespräche stehen pro Umsetzer zwei Zeitschlitz (TS = TimeSlot) zur Verfügung. Durch diese zwei Zeitschlitz ist es möglich 2 Funkgespräche unabhängig von einander am gleichen Umsetzer zzuführen. Innerhalb der Zeitschlitz kann mit Hilfe von Sprechgruppen (TG = TalkGroups) die "Reichweite" des Funkgesprächs gesteuert werden. Für Funkgespräche innerhalb Österreichs sind drei TalkGroups definiert worden:


- TG 232 = für österreichweite Funkgespräche
- TG 8 = für regionale Funkgespräche
- TG 9 = für lokale bzw. regionale Funkgespräche

Für österreichweite und lokale Verbindungen sollte primär der Zeitschlitz 2 (TS 2) verwendet werden, da der Zeitschlitz 1 auch für internationale Verbindungen vorgesehen ist.

Weitere Details zu TS bzw. TG sind bei *Mototrbo-international* zu finden

Sprechgruppen / Talkgroups in Österreich

Stand: 28. August 2014



Sprechgruppen (TGs) in Österreich

Diese Sprechgruppen-Liste gilt in Österreich auf den Relais laut Umsetzerliste (siehe **Frequenzen-OE** mit Standortkarte) und sollte somit in allen österreichischen Geräte-Codeplugs (siehe **Mototrbo-Programmierung**) abgebildet sein. Wobei die genaue Verbreitung der TG1x in OE aus der weiter unten stehenden Matrix [\[1\]](#) entnommen werden kann.

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 1	1 WELTWEIT WW	in alle weltweiten Netze	TS 1	für weltweite Anrufe und KURZE QSOs
TG 10	10 WW DEU	in alle weltweiten Netze	TS 1	für weltweite QSOs in deutsch
TG 11	11 WW FRA	in alle weltweiten Netze	TS 1	für weltweite QSOs in französisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 12	12 WW NLD	in alle weltweiten Netze	TS 1	für weltweite QSOs in niederländisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 13	13 WW ENG	in alle weltweiten Netze	TS 1	für weltweite QSOs in englisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 14	14 WW SPA	in alle weltweiten Netze	TS 1	für weltweite QSOs in spanisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 2	2 EUROPA	in alle europäischen Netze	TS 1	für europaweite Anrufe und QSOs
TG 20	20 D-A-CH	Deutschland, Österreich & Schweiz	TS 1	für deutschsprachige Anrufe und QSOs
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 1	für Anrufe und kurze nationale Gespräche in OE
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 1	Lokalbetrieb, wenn TS2 besetzt ist, gilt für alle Regionalnetze
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 2	für längere, österreichweite Gespräche
		regionales Netz (OE1)		

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 8	8 REGIONAL	& OE3)	TS 2	für regionale QSOs
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 2	für längere, lokale QSOs, gilt für alle Regionalnetze
TG 9990	9990 ECHO	keine Weiterleitung	TS 2	Hytera Netz - eigene Ausendung wird wiederholt (Papagei)

Österreichweite DMR-Abdeckung


Detailliertere Informationen/Darstellungen zu den Abdeckungen der einzelnen Umsetzer und der DMR-Regionen (TG 8 & 9) in Österreich sind bei [Mototrbo-Umsetzer-Footprints](#) zu finden

Motorola



Darstellung der Motorola DMR Abdeckung in Österreich auf TG232

Hytera



Darstellung der Hytera DMR Abdeckung in Österreich auf TG232

DMR Talkgroup-Vernetzungs-Matrix in Österreich

Über die Sprechgruppen wird die "Reichweite" der Aussendung in einem Netz (Motorola oder Hytera) 'gesteuert'. Die Aussendungen auf den überregionalen Sprechgruppen (TG1, TG2, TG20, TG232) werden auf alle Umsetzer des Netzes geroutet. Mit den Sprechgruppen (TG8 & TG9) können/werden die Umsetzer in unterschiedliche Regionen zusammengefasst, wodurch das Funkgespräch auf diesen Sprechgruppen und Zeitschlitz (TS) nur in dieser "Region" bleibt. Diese zusammenhängenden Umsetzer sind an Hand der "x" in den jeweiligen Spalten zu erkennen.

MOTOROLA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D-A-CH	AUT	OE1	OE3	OE8
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	9	9	9
Bisamberg OE1XAR	X	X	X	X	X	X	X	X	X			

Wienerberg OE1XQU	X	X	X			X		X	X			
Exelberg OE1XQA	X	X	X			X		X	X			
Bad Vöslau /Harzberg OE3XDB	X	X	X			X		X	X			
Brentenriegl OE4XUB	X	X	X			X		X	X			
Kirchberg /Pielachtal OE3XKC	X	X	X			X		X	X			
Lichtenberg OE5XLL	X	X	X			X		X	X			
Jauerling OE3XHB	X	X	X			X		X	X	X		
Sonntagberg OE3XRB	X	X	X			X		X	X	X		
Pyramidenkogel OE8XKK	X	X	X			X		X	X			X
Magdalensberg OE8XMK	X	X	X			X		X	X			X
Petzen OE8XPK	X	X	X			X		X	X			X
Sonnblick OE2XSV	X	X	X			X		X	X			
Schöckl OE6XAG	X	X	X			X		X	X			
Rennfeld OE6XBG	X	X	X			X		X	X			
Schönbergkopf OE6XAR	X	X	X			X		X	X			
Bruckerberg OE7XZH	X	X	X			X		X	X			
Rangger Köpfl OE7XBI	X	X	X			X		X	X			
Penken OE7XTT	X	X	X			X		X	X			
Bregenz OE9LTV	X	X	X			X		X	X			

HYTERA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D-A-CH	AUT	DEU	OE 1 /3 /6	OE
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	262	9	9
HYT Wien 22 OE1XIK	X	X	X					X	X	X		
HYT Wienerberg OE1XQU	X	X	X					X	X	X		
HYT Laaerberg ¹ OE1XQU	X	X	X					X	X	X		
HYT Hohe Wand OE3XTR	X	X	X					X	X	X		
HYT Stradner Kogel OE6XBF	X	X	X					X	X	X		
HYT Stuhleck Test OE6XCD	X	X	X					X	X	X		
HYT Dobratsch OE8XFK	X	X	X					X	X			
HYT Saurachberg OE8XIK	X	X	X					X	X			
HYT Koralm OE8XLK	X	X	X					X	X			
HYT Magdalensberg ¹ OE8XMK	X	X	X					X	X			
HYT Petzen ¹ OE8XPK	X	X	X					X	X			

¹ = **2m-Umsetzer**

Sprachencodes nach [ISO 639-3](#)

Mototrbo-national: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen

Visuell Wikitext

Version vom 7. November 2014, 23:55

Uhr (Quelltext anzeigen)

Oe6jwd ([Diskussion](#) | [Beiträge](#))

(→Österreichweite DMR-Abdeckung: Hytera
TG232 Karte ergänzt)

← Zum vorherigen Versionsunterschied

Version vom 8. November 2014, 00:12

Uhr (Quelltext anzeigen)

Oe6jwd ([Diskussion](#) | [Beiträge](#))

(→HYTERA-Umsetzer: aufgeräumt)

Zum nächsten Versionsunterschied →

Zeile 643:

	width="40" align="center" AUT
	width="40" align="center" DEU
–	width="40" align="center" OE1
–	width="40" align="center" OE3
	width="40" align="center" OE8
–	width="40" align="center" OE1
–	width="40" align="center" OE3
–	width="40" align="center" OE6
–	width="40" align="center" OE7
	width="40" align="center" OE8
–	width="40" align="center" OE-Ost
–	width="40" align="center" OE7
	width="40" align="center" AUT

Zeile 669:

	width="40" align="center" 1
	width="40" align="center" 1
–	width="40" align="center" 1
–	width="40" align="center" 2
–	width="40" align="center" 2
–	width="40" align="center" 2

Zeile 643:

	width="40" align="center" AUT
	width="40" align="center" DEU
+	width="40" align="center" OE
1 /3/6
	width="40" align="center" OE8
+	width="40" align="center" OE
1 /3/6
	width="40" align="center" OE8
	width="40" align="center" AUT

Zeile 663:

	width="40" align="center" 1
	width="40" align="center" 1

– | width="40" align="center" | 2

– | width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

| width="40" align="center" | 2

Zeile 695:

| width="40" align="center" | 9

| width="40" align="center" | 9

Zeile 683:

| width="40" align="center" | 9

| width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 9

– | width="40" align="center" | 8

– | width="40" align="center" | 8

| width="40" align="center" | 232

| width="40" align="center" | 232

Zeile 717:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

Zeile 699:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

+

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 741:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 765:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

– |style="font-size:14pt" align="right"
align="center" |

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 717:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="center" | x
```

Zeile 735:

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

```
|style="font-size:14pt" align="right"  
align="center" | &nbsp;
```

+ |style="font-size:14pt" align="center" | x

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="center" | x`

Zeile 789:

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

– `|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="center" | x`

Zeile 813:

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="center" | x`

Zeile 753:

`|style="font-size:14pt" align="right"`
`align="center" |  `

`|style="font-size:14pt" align="right"`
`align="center" |  `

+ `|style="font-size:14pt" align="center" | x`

Zeile 771:

`|style="font-size:14pt" align="right"`
`align="center" |  `

[illegible]

– **|style="font-size:14pt" align="right"**
**align="center" | **

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="center" | x

Zeile 862:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

|style="font-size:14pt" align="center" | x

Zeile 808:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+ |style="font-size:14pt" align="center" | x

Zeile 886:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

– **|style="font-size:14pt" align="right"**
**align="center" | **

– **|style="font-size:14pt" align="right"**
**align="center" | **

Zeile 826:

|style="font-size:14pt" align="right"
align="center" |

|style="font-size:14pt" align="right"
align="center" |

+ |style="font-size:14pt" align="center" | x

style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="center" x		style="font-size:14pt" align="center" x
Zeile 910: style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="center" x	Zeile 844: style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="center" x	
style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="right" align="center" &nbsp; style="font-size:14pt" align="center" &nbsp; style="font-size:14pt" align="center" x	+ style="font-size:14pt" align="center" x	
Zeile 934: style="font-size:14pt" align="right" align="center" &nbsp;	Zeile 862: style="font-size:14pt" align="right" align="center" &nbsp;	

style="font-size:14pt" align="right" align="center" &nbsp; ;		style="font-size:14pt" align="right" align="center" &nbsp; ;
- style="font-size:14pt" align="right" align="center" &nbsp; ;	+	style="font-size:14pt" align="center" x
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
style="font-size:14pt" align="center" x		style="font-size:14pt" align="center" x

Zeile 958:

style="font-size:14pt" align="right" align="center" &nbsp; ;		style="font-size:14pt" align="right" align="center" &nbsp; ;
style="font-size:14pt" align="right" align="center" &nbsp; ;		style="font-size:14pt" align="right" align="center" &nbsp; ;
- style="font-size:14pt" align="right" align="center" &nbsp; ;	+	style="font-size:14pt" align="center" x
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		
- style="font-size:14pt" align="right" align="center" &nbsp; ;		

Zeile 880:

|style="font-size:14pt" align="right" align="center" | |

|style="font-size:14pt" align="center" | x

|style="font-size:14pt" align="center" | x

Version vom 8. November 2014, 00:12 Uhr

Inhaltsverzeichnis

1 Allgemeine Info	45
2 Sprechgruppen / Talkgroups in Österreich	45
3 Sprechgruppen (TGs) in Österreich	46
4 Österreichweite DMR-Abdeckung	47
4.1 Motorola	47
4.2 Hytera	48
5 DMR Talkgroup-Vernetzungs-Matrix in Österreich	49
5.1 MOTOROLA-Umsetzer	49
5.2 HYTERA-Umsetzer	51

Allgemeine Info

Für DMR-Funkgespräche stehen pro Umsetzer zwei Zeitschlitz (TS = TimeSlot) zur Verfügung. Durch diese zwei Zeitschlitz ist es möglich 2 Funkgespräche unabhängig von einander am gleichen Umsetzer zuzuführen. Innerhalb der Zeitschlitz kann mit Hilfe von Sprechgruppen (TG = TalkGroups) die "Reichweite" des Funkgesprächs gesteuert werden. Für Funkgespräche innerhalb Österreichs sind drei TalkGroups definiert worden:


- TG 232 = für österreichweite Funkgespräche
- TG 8 = für regionale Funkgespräche
- TG 9 = für lokale bzw. regionale Funkgespräche

Für österreichweite und lokale Verbindungen sollte primär der Zeitschlitz 2 (TS 2) verwendet werden, da der Zeitschlitz 1 auch für internationale Verbindungen vorgesehen ist.

Weitere Details zu TS bzw. TG sind bei *Mototrbo-international* zu finden

Sprechgruppen / Talkgroups in Österreich

Stand: 28. August 2014



Sprechgruppen (TGs) in Österreich

Diese Sprechgruppen-Liste gilt in Österreich auf den Relais laut Umsetzerliste (siehe **Frequenzen-OE** mit Standortkarte) und sollte somit in allen österreichischen Geräte-Codeplugs (siehe **Mototrbo-Programmierung**) abgebildet sein. Wobei die genaue Verbreitung der TG1x in OE aus der weiter unten stehenden Matrix [\[1\]](#) entnommen werden kann.

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 1	1 WELTWEIT WW	in alle weltweiten Netze	TS 1	für weltweite Anrufe und KURZE QSOs
TG 10	10 WW DEU	in alle weltweiten Netze	TS 1	für weltweite QSOs in deutsch
TG 11	11 WW FRA	in alle weltweiten Netze	TS 1	für weltweite QSOs in französisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 12	12 WW NLD	in alle weltweiten Netze	TS 1	für weltweite QSOs in niederländisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 13	13 WW ENG	in alle weltweiten Netze	TS 1	für weltweite QSOs in englisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 14	14 WW SPA	in alle weltweiten Netze	TS 1	für weltweite QSOs in spanisch (nicht auf allen OE-Umsetzern verfügbar!)
TG 2	2 EUROPA	in alle europäischen Netze	TS 1	für europaweite Anrufe und QSOs
TG 20	20 D-A-CH	Deutschland, Österreich & Schweiz	TS 1	für deutschsprachige Anrufe und QSOs
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 1	für Anrufe und kurze nationale Gespräche in OE
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 1	Lokalbetrieb, wenn TS2 besetzt ist, gilt für alle Regionalnetze
TG 232	232 ÖSTERREICH	alle österreichischen Regionalnetze	TS 2	für längere, österreichweite Gespräche
		regionales Netz (OE1)		

Sprechgruppe Talkgroup	Sprechgruppen- bezeichnung	Verbreitungsgebiet	Zeitschlitz Timeslot	Bemerkungen
TG 8	8 REGIONAL	& OE3)	TS 2	für regionale QSOs
TG 9	9 LOKAL	keine Weiterleitung, regionales Netz	TS 2	für längere, lokale QSOs, gilt für alle Regionalnetze
TG 9990	9990 ECHO	keine Weiterleitung	TS 2	Hytera Netz - eigene Ausendung wird wiederholt (Papagei)

Österreichweite DMR-Abdeckung


Detailliertere Informationen/Darstellungen zu den Abdeckungen der einzelnen Umsetzer und der DMR-Regionen (TG 8 & 9) in Österreich sind bei [Mototrbo-Umsetzer-Footprints](#) zu finden

Motorola



Darstellung der Motorola DMR Abdeckung in Österreich auf TG232

Hytera



Darstellung der Hytera DMR Abdeckung in Österreich auf TG232

DMR Talkgroup-Vernetzungs-Matrix in Österreich

Über die Sprechgruppen wird die "Reichweite" der Aussendung in einem Netz (Motorola oder Hytera) 'gesteuert'. Die Aussendungen auf den überregionalen Sprechgruppen (TG1, TG2, TG20, TG232) werden auf alle Umsetzer des Netzes geroutet. Mit den Sprechgruppen (TG8 & TG9) können/werden die Umsetzer in unterschiedliche Regionen zusammengefasst, wodurch das Funkgespräch auf diesen Sprechgruppen und Zeitschlitz (TS) nur in dieser "Region" bleibt. Diese zusammenhängenden Umsetzer sind an Hand der "x" in den jeweiligen Spalten zu erkennen.

MOTOROLA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D-A-CH	AUT	OE1	OE3	OE8
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	9	9	9
Bisamberg OE1XAR	X	X	X	X	X	X	X	X	X			

Wienerberg OE1XQU	X	X	X			X		X	X			
Exelberg OE1XQA	X	X	X			X		X	X			
Bad Vöslau /Harzberg OE3XDB	X	X	X			X		X	X			
Brentenriegl OE4XUB	X	X	X			X		X	X			
Kirchberg /Pielachtal OE3XKC	X	X	X			X		X	X			
Lichtenberg OE5XLL	X	X	X			X		X	X			
Jauerling OE3XHB	X	X	X			X		X	X	X		
Sonntagberg OE3XRB	X	X	X			X		X	X	X		
Pyramidenkogel OE8XKK	X	X	X			X		X	X			X
Magdalensberg OE8XMK	X	X	X			X		X	X			X
Petzen OE8XPK	X	X	X			X		X	X			X
Sonnblick OE2XSV	X	X	X			X		X	X			
Schöckl OE6XAG	X	X	X			X		X	X			
Rennfeld OE6XBG	X	X	X			X		X	X			
Schönbergkopf OE6XAR	X	X	X			X		X	X			
Bruckerberg OE7XZH	X	X	X			X		X	X			
Rangger Köpfl OE7XBI	X	X	X			X		X	X			
Penken OE7XTT	X	X	X			X		X	X			
Bregenz OE9LTV	X	X	X			X		X	X			

HYTERA-Umsetzer

Vernetzungs-Matrix - Welche Umsetzer sind auf welcher Sprechgruppe (TG) und auf welchem Zeitschlitz (TS) miteinander verbunden

Repeater	WW	EUR	WW DEU	WW FRA	WW NLD	WW ENG	WW SPA	D- A- CH	AUT	DEU	OE 1 /3 /6	OE
Zeitschlitz (TS)	1	1	1	1	1	1	1	1	1	1	1	1
Sprechgruppe (TG)	1	2	10	11	12	13	14	20	232	262	9	9
HYT Wien 22 OE1XIK	X	X	X					X	X	X		
HYT Wienerberg OE1XQU	X	X	X					X	X	X		
HYT Laaerberg ¹ OE1XQU	X	X	X					X	X	X		
HYT Hohe Wand OE3XTR	X	X	X					X	X	X		
HYT Stradner Kogel OE6XBF	X	X	X					X	X	X		
HYT Stuhleck Test OE6XCD	X	X	X					X	X	X		
HYT Dobratsch OE8XFK	X	X	X					X	X			
HYT Saurachberg OE8XIK	X	X	X					X	X			
HYT Koralm OE8XLK	X	X	X					X	X			
HYT Magdalensberg ¹ OE8XMK	X	X	X					X	X			
HYT Petzen ¹ OE8XPK	X	X	X					X	X			

¹ = **2m-Umsetzer**

Sprachencodes nach [ISO 639-3](#)