
Inhaltsverzeichnis

OPEN-HYTERA-ENGLISH

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 17. September 2013, 23:20
Uhr (Quelltext anzeigen)
Oe1kbc (Diskussion | Beiträge)
← Zum vorherigen Versionsunterschied

Version vom 17. September 2013, 23:22
Uhr (Quelltext anzeigen)
Oe1kbc (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 11:

== master objectives:==

– * essentially for local use

– * compatible structures to existing DMR networks

[[Bild:OPEN_HYTERA_OE.jpg|500px|OPEN HYTERA OE]]

Zeile 11:

== master objectives:==

+ * **repeaters are** essentially for local use

+ * **build** compatible structures to existing DMR networks

[[Bild:OPEN_HYTERA_OE.jpg|500px|OPEN HYTERA OE]]

Version vom 17. September 2013, 23:22 Uhr



HYTERA RD985



HYTERA RD985

project objectives\:

- Bring together analog and digital technology
 - double benefit in using existing FM sites
 - only one timeslot for international network (second timeslot for local use)
 - software made by amateurs to set up the network
 - open network with small guidelines
- SYSOPs can test without notification to a MASTER SYSOP

master objectives\:

- repeaters are essentially for local use
- build compatible structures to existing DMR networks

