

Inhaltsverzeichnis

1. OPEN-HYTERA-ENGLISH	8
2. Benutzer:Oe1kbc	5

OPEN-HYTERA-ENGLISH

[Versionsgeschichte interaktiv durchsuchen](#)
[Visuell Wikitext](#)

Version vom 17. September 2013, 23:22 Uhr (Quelltext anzeigen)
Oe1kbc ([Diskussion](#) | [Beiträge](#))
[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 22. Januar 2014, 01:07 Uhr (Quelltext anzeigen)
Oe1kbc ([Diskussion](#) | [Beiträge](#))

Zeile 3:	Zeile 3:
==project objectives:==	==project objectives:==
– * Bring together analog and digital technology	+ * free use to connect Repeaters
* double benefit in using existing FM sites	* double benefit in using existing FM sites
– * only one timeslot for international network (second timeslot for local use)	+ * Open NET-protocol for new developments
– * software made by amateurs to set up the network	+ * Open NET-structure with few guidelines s
free testing for SYSOPs
Open documentation
– * open network with small guidelines
SYSOPs can test without notification to a MASTER SYSOP	
== master objectives:==	== master objectives:==
– * repeaters are essentially for local use	+ * Connecting features prepared for amateur use
	+ * Development by amateurs only
	+ * repeaters are essentially for local use with NET components
* build compatible structures to existing DMR networks	* build compatible structures to existing DMR networks
	+
[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]	[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]

Aktuelle Version vom 22. Januar 2014, 01:07 Uhr



HYTERA RD985




HYTERA RD985

project objectives\:

- free use to connect Repeaters
- double benefit in using existing FM sites
- Open NET-protocol for new developments
- Open NET-structure with few guidelines
- free testing for SYSOPs
- Open documentation

master objectives\:

- Connecting features prepared for amateur use
- Development by amateurs only
- repeaters are essentially for local use with NET components
- build compatible structures to existing DMR networks



OPEN-HYTERA-ENGLISH: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 22. Januar 2014,

01:07 Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

Zeile 3:	Zeile 3:
==project objectives:==	==project objectives:==
– * Bring together analog and digital technology	+ * free use to connect Repeaters
* double benefit in using existing FM sites	* double benefit in using existing FM sites
– * only one timeslot for international network (second timeslot for local use)	+ * Open NET-protocol for new developments
– * software made by amateurs to set up the network	+ * Open NET-structure with few guidelines s
free testing for SYSOPs
Open documentation
– * open network with small guidelines
SYSOPs can test without notification to a MASTER SYSOP	
== master objectives:==	== master objectives:==
– * repeaters are essentially for local use	+ * Connecting features prepared for amateur use
	+ * Development by amateurs only
	+ * repeaters are essentially for local use with NET components
* build compatible structures to existing DMR networks	* build compatible structures to existing DMR networks
	+
[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]	[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]

Aktuelle Version vom 22. Januar 2014, 01:07 Uhr



HYTERA RD985




HYTERA RD985

project objectives\:

- free use to connect Repeaters
- double benefit in using existing FM sites
- Open NET-protocol for new developments
- Open NET-structure with few guidelines
- free testing for SYSOPs
- Open documentation

master objectives\:

- Connecting features prepared for amateur use
- Development by amateurs only
- repeaters are essentially for local use with NET components
- build compatible structures to existing DMR networks



OPEN-HYTERA-ENGLISH: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 22. Januar 2014,

01:07 Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

Zeile 3:	Zeile 3:
==project objectives:==	==project objectives:==
– * Bring together analog and digital technology	+ * free use to connect Repeaters
* double benefit in using existing FM sites	* double benefit in using existing FM sites
– * only one timeslot for international network (second timeslot for local use)	+ * Open NET-protocol for new developments
– * software made by amateurs to set up the network	+ * Open NET-structure with few guidelines s
free testing for SYSOPs
Open documentation
– * open network with small guidelines
SYSOPs can test without notification to a MASTER SYSOP	
== master objectives:==	== master objectives:==
– * repeaters are essentially for local use	+ * Connecting features prepared for amateur use
	+ * Development by amateurs only
	+ * repeaters are essentially for local use with NET components
* build compatible structures to existing DMR networks	* build compatible structures to existing DMR networks
	+
[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]	[[Bild:OPEN_HYTERA_OE.jpg 500px OPEN HYTERA OE]]

Aktuelle Version vom 22. Januar 2014, 01:07 Uhr



HYTERA RD985



HYTERA RD985

project objectives\:

- free use to connect Repeaters
- double benefit in using existing FM sites
- Open NET-protocol for new developments
- Open NET-structure with few guidelines
- free testing for SYSOPs
- Open documentation

master objectives\:

- Connecting features prepared for amateur use
- Development by amateurs only
- repeaters are essentially for local use with NET components
- build compatible structures to existing DMR networks

