

Inhaltsverzeichnis

1. OPEN-HYTERA-ENGLISH	8
2. Benutzer:Oe1kbc	5

OPEN-HYTERA-ENGLISH

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 17. September 2013, 23:22
Uhr (Quelltext anzeigen)
Oe1kbc (Diskussion | Beiträge)
← Zum vorherigen Versionsunterschied

Version vom 17. September 2013, 23:22
Uhr (Quelltext anzeigen)
Oe1kbc (Diskussion | Beiträge)
Zum nächsten Versionsunterschied →

Zeile 1:

–

[[Kategorie:DMR]]

[[Bild:RD985_FRONT.jpg|350px|thumb|HYTERA RD985]]

[[Bild:RD985_BACK.jpg|350px|thumb|HYTERA RD985]]

Zeile 1:

[[Bild:RD985_FRONT.jpg|350px|thumb|HYTERA RD985]]

[[Bild:RD985_BACK.jpg|350px|thumb|HYTERA RD985]]

Version vom 17. September 2013, 23:22 Uhr




project objectives\:

- Bring together analog and digital technology
 - double benefit in using existing FM sites
 - only one timeslot for international network (second timeslot for local use)
 - software made by amateurs to set up the network
 - open network with small guidelines
- SYSOPs can test without notification to a MASTER SYSOP

master objectives\:

- repeaters are essentially for local use
- build compatible structures to existing DMR networks



OPEN-HYTERA-ENGLISH: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc (Diskussion | Beiträge)

← Zum vorherigen Versionsunterschied

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc (Diskussion | Beiträge)

Zum nächsten Versionsunterschied →

Zeile 1:	Zeile 1:
– [[Kategorie:DMR]]	
[[Bild:RD985_FRONT.jpg 350px thumb HYTERA RD985]]	[[Bild:RD985_FRONT.jpg 350px thumb HYTERA RD985]]
[[Bild:RD985_BACK.jpg 350px thumb HYTERA RD985]]	[[Bild:RD985_BACK.jpg 350px thumb HYTERA RD985]]

Version vom 17. September 2013, 23:22 Uhr



HYTERA RD985




HYTERA RD985

project objectives\:

- Bring together analog and digital technology
 - double benefit in using existing FM sites
 - only one timeslot for international network (second timeslot for local use)
 - software made by amateurs to set up the network
 - open network with small guidelines
- SYSOPs can test without notification to a MASTER SYSOP

master objectives\:

- repeaters are essentially for local use
- build compatible structures to existing DMR networks



OPEN-HYTERA-ENGLISH: Unterschied zwischen den Versionen

Versionsgeschichte interaktiv durchsuchen
VisuellWikitext

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Version vom 17. September 2013, 23:22

Uhr (Quelltext anzeigen)

Oe1kbc ([Diskussion](#) | [Beiträge](#))

[Zum nächsten Versionsunterschied →](#)

Zeile 1:	Zeile 1:
– [[Kategorie:DMR]] [[Bild:RD985_FRONT.jpg 350px thumb HYTERA RD985]] [[Bild:RD985_BACK.jpg 350px thumb HYTERA RD985]] [[Bild:RD985_FRONT.jpg 350px thumb HYTERA RD985]] [[Bild:RD985_BACK.jpg 350px thumb HYTERA RD985]]	[[Bild:RD985_FRONT.jpg 350px thumb HYTERA RD985]] [[Bild:RD985_BACK.jpg 350px thumb HYTERA RD985]]

Version vom 17. September 2013, 23:22 Uhr



project objectives\:

- Bring together analog and digital technology
 - double benefit in using existing FM sites
 - only one timeslot for international network (second timeslot for local use)
 - software made by amateurs to set up the network
 - open network with small guidelines
- SYSOPs can test without notification to a MASTER SYSOP

master objectives\:

- repeaters are essentially for local use
- build compatible structures to existing DMR networks

