

Inhaltsverzeichnis

1. OPEN-HYTERA-ROUTING-ENGLISH	8
2. Benutzer:Oe1kbc	5

OPEN-HYTERA-ROUTING-ENGLISH

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

Version vom 5. September 2013, 12:02

Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 16. September

2013, 16:42 Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

Zeile 1:

– **[[Kategorie:DMR]]**

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Zeile 1:

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).


Aktuelle Version vom 16. September 2013, 16:42 Uhr

Routing Concept

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Legend:

- Repeaters (magenta) in one region (in minimul one reeater)
- Regions (green) pro country
- Nations/continents/Language-Separations (Europa, USA, Australien, ...)



Kurt OE1KBC / Torsten DG1HT

Loginfo for the existing system

- [BMaster](#)
- [SMaster Hamburg](#)
- [SMaster Ruhrgebiet](#)
- [SMaster Netherlands](#)
- [SMaster Belgium](#)
- [SMaster Austria](#)
- [SMaster USA](#)
- [DMR MASTER LastHeard List](#)

Planned Routes

- Talkgroups as known
 - 9 ... local calls
 - 8 ... region calls
 - 2xx... country wide calls in EU (DL, OE, HB9, ON, PA, ...)
 - 20 ... D-A-CH (german speaking people in EU)
 - 21 ... french speaking people
 - 22 ... dutch speaking people
 - 2 ... Europe
 - 3 ... US nation wide

- 1 ... WW
- Repeater/Repeater routing
- CALL Sign routing

OPEN-HYTERA-ROUTING-ENGLISH: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

Version vom 5. September 2013, 12:02

Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 16. September

2013, 16:42 Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

Zeile 1:

– **[[Kategorie:DMR]]**

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Zeile 1:

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).


Aktuelle Version vom 16. September 2013, 16:42 Uhr

Routing Concept

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Legend:

- Repeaters (magenta) in one region (in minimul one reeater)
- Regions (green) pro country
- Nations/continents/Language-Separations (Europa, USA, Australien, ...)



Kurt OE1KBC / Torsten DG1HT

Loginfo for the existing system

- [BMaster](#)
- [SMaster Hamburg](#)
- [SMaster Ruhrgebiet](#)
- [SMaster Netherlands](#)
- [SMaster Belgium](#)
- [SMaster Austria](#)
- [SMaster USA](#)
- [DMR MASTER LastHeard List](#)

Planned Routes

- Talkgroups as known
 - 9 ... local calls
 - 8 ... region calls
 - 2xx... country wide calls in EU (DL, OE, HB9, ON, PA, ...)
 - 20 ... D-A-CH (german speaking people in EU)
 - 21 ... french speaking people
 - 22 ... dutch speaking people
 - 2 ... Europe
 - 3 ... US nation wide

- 1 ... WW
- Repeater/Repeater routing
- CALL Sign routing

OPEN-HYTERA-ROUTING-ENGLISH: Unterschied zwischen den Versionen

[Versionsgeschichte interaktiv durchsuchen](#)

[Visuell Wikitext](#)

Version vom 5. September 2013, 12:02

Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

[← Zum vorherigen Versionsunterschied](#)

Aktuelle Version vom 16. September

2013, 16:42 Uhr ([Quelltext anzeigen](#))

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

Zeile 1:

– **[[Kategorie:DMR]]**

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Zeile 1:

=== Routing Concept ===

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).


Aktuelle Version vom 16. September 2013, 16:42 Uhr

Routing Concept

In order to cover all the wishes to the routing in the DMR Network we decide to a three step model (see picture).

Legend:

- Repeaters (magenta) in one region (in minimul one reeater)
- Regions (green) pro country
- Nations/continents/Language-Separations (Europa, USA, Australien, ...)



Kurt OE1KBC / Torsten DG1HT

Loginfo for the existing system

- [BMaster](#)
- [SMaster Hamburg](#)
- [SMaster Ruhrgebiet](#)
- [SMaster Netherlands](#)
- [SMaster Belgium](#)
- [SMaster Austria](#)
- [SMaster USA](#)
- [DMR MASTER LastHeard List](#)

Planned Routes

- Talkgroups as known
 - 9 ... local calls
 - 8 ... region calls
 - 2xx... country wide calls in EU (DL, OE, HB9, ON, PA, ...)
 - 20 ... D-A-CH (german speaking people in EU)
 - 21 ... french speaking people
 - 22 ... dutch speaking people
 - 2 ... Europe
 - 3 ... US nation wide

- 1 ... WW
- Repeater/Repeater routing
- CALL Sign routing