
Inhaltsverzeichnis

1. QO-100/QO-100 NOT-/KAT-Projekt im Landesverband OE3/QO-100 Bakenmeldungen	6
2. Benutzer:Oe1kbc	4

QO-100/QO-100 NOT-/KAT-Projekt im Landesverband OE3/QO-100 Bakenmeldungen

Version vom 1. April 2021, 21:07 Uhr (Quelltext anzeigen)

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

(Die Seite wurde neu angelegt: „= QO-100 LIVE Bakenmeldungen = * Synch received on Mo 8 Jun - 19:22:20 UTC ** CRC OK * L HI de Qatar-OSCAR 100 (DK0SB) ** Transponder is open for general use...“)

Markierung: [Visuelle Bearbeitung](#)

[Zum nächsten Versionsunterschied →](#)

(kein Unterschied)

Version vom 1. April 2021, 21:07 Uhr

QO\ -100 LIVE Bakenmeldungen

- Synch received on Mo 8 Jun - 19:22:20 UTC
 - CRC OK
- L HI de Qatar-OSCAR 100 (DK0SB)
 - Transponder is open for general use since 2019-02-14.
 - Enjoy the Narrow Band (NB) and Wide Band (WB) transponders.
 - Follow the guidelines and keep transmitter power below beacon.
 - For more information visit: <http://amsat-dl.org/>
 - QO-100 was brought to you by Es'hailSat, QARS and AMSAT-DL.
 - Good Luck and Good DX via the first geostationary P4-A satellite
- Synch received on Mo 8 Jun - 19:22:45 UTC
 - CRC OK
- M HI de Qatar-OSCAR 100 (DK0SB)
 - 2020-02-14: Celebrating 1 year of QO-100
 - New bandplan with extended transponder range active now. New
 - beacons (and new LEILA ground station) currently experimental.
- New beacon frequencies:
- CW now F1A on 10489500 Middle Beacon AMSAT PSK 10489750
- Experimental Beacon 10490000 currently also F1A CW
- Synch received on Mo 8 Jun - 19:23:11 UTC
 - CRC OK
- N HI de Qatar-OSCAR 100 (DK0SB)
 - In order to coordinate potential emergency communications
 - during the actual or any other crisis, the following frequency
 - will be assigned as international emergency frequency on QO-100
 - NB Transponder: Downlink: 10489.860 MHz Uplink: 2400.360 MHz
 - SSB channel: max. 2.7kHz bandwidth
 - All users on QO-100 are encouraged to monitor
 - this frequency, but keep it clear for emergency traffic!
- Synch received on Mo 8 Jun - 19:23:36 UTC
 - CRC OK
- K HI de Qatar-OSCAR 100 (DK0SB)

QO-100/QO-100 NOT-/KAT-Projekt im Landesverband OE3/QO-100 Bakenmeldungen: Unterschied zwischen den Versionen

Version vom 1. April 2021, 21:07 Uhr (Quelltext anzeigen)

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

(Die Seite wurde neu angelegt: „= QO-100 LIVE Bakenmeldungen = * Synch received on Mo 8 Jun - 19:22:20 UTC ** CRC OK * L HI de Qatar-OSCAR 100 (DK0SB) ** Transponder is open for general use...“)

Markierung: [Visuelle Bearbeitung](#)

[Zum nächsten Versionsunterschied →](#)

(kein Unterschied)

Version vom 1. April 2021, 21:07 Uhr

QO\100 LIVE Bakenmeldungen

- Synch received on Mo 8 Jun - 19:22:20 UTC
 - CRC OK
- L HI de Qatar-OSCAR 100 (DK0SB)
 - Transponder is open for general use since 2019-02-14.
 - Enjoy the Narrow Band (NB) and Wide Band (WB) transponders.
 - Follow the guidelines and keep transmitter power below beacon.
 - For more information visit: <http://amsat-dl.org/>
 - QO-100 was brought to you by Es'hailSat, QARS and AMSAT-DL.
 - Good Luck and Good DX via the first geostationary P4-A satellite
- Synch received on Mo 8 Jun - 19:22:45 UTC
 - CRC OK
- M HI de Qatar-OSCAR 100 (DK0SB)
 - 2020-02-14: Celebrating 1 year of QO-100
 - New bandplan with extended transponder range active now. New
 - beacons (and new LEILA ground station) currently experimental.
- New beacon frequencies:
- CW now F1A on 10489500 Middle Beacon AMSAT PSK 10489750
- Experimental Beacon 10490000 currently also F1A CW
- Synch received on Mo 8 Jun - 19:23:11 UTC
 - CRC OK
- N HI de Qatar-OSCAR 100 (DK0SB)
 - In order to coordinate potential emergency communications
 - during the actual or any other crisis, the following frequency
 - will be assigned as international emergency frequency on QO-100
 - NB Transponder: Downlink: 10489.860 MHz Uplink: 2400.360 MHz
 - SSB channel: max. 2.7kHz bandwidth
 - All users on QO-100 are encouraged to monitor
 - this frequency, but keep it clear for emergency traffic!
- Synch received on Mo 8 Jun - 19:23:36 UTC
 - CRC OK
- K HI de Qatar-OSCAR 100 (DK0SB)

QO-100/QO-100 NOT-/KAT-Projekt im Landesverband OE3/QO-100 Bakenmeldungen: Unterschied zwischen den Versionen

Version vom 1. April 2021, 21:07 Uhr (Quelltext anzeigen)

[Oe1kbc](#) ([Diskussion](#) | [Beiträge](#))

(Die Seite wurde neu angelegt: „= QO-100 LIVE Bakenmeldungen = * Synch received on Mo 8 Jun - 19:22:20 UTC ** CRC OK * L HI de Qatar-OSCAR 100 (DK0SB) ** Transponder is open for general use...“)

Markierung: [Visuelle Bearbeitung](#)

[Zum nächsten Versionsunterschied →](#)

(kein Unterschied)

Version vom 1. April 2021, 21:07 Uhr

QO\100 LIVE Bakenmeldungen

- Synch received on Mo 8 Jun - 19:22:20 UTC
 - CRC OK
- L HI de Qatar-OSCAR 100 (DK0SB)
 - Transponder is open for general use since 2019-02-14.
 - Enjoy the Narrow Band (NB) and Wide Band (WB) transponders.
 - Follow the guidelines and keep transmitter power below beacon.
 - For more information visit: <http://amsat-dl.org/>
 - QO-100 was brought to you by Es'hailSat, QARS and AMSAT-DL.
 - Good Luck and Good DX via the first geostationary P4-A satellite
- Synch received on Mo 8 Jun - 19:22:45 UTC
 - CRC OK
- M HI de Qatar-OSCAR 100 (DK0SB)
 - 2020-02-14: Celebrating 1 year of QO-100
 - New bandplan with extended transponder range active now. New
 - beacons (and new LEILA ground station) currently experimental.
- New beacon frequencies:
- CW now F1A on 10489500 Middle Beacon AMSAT PSK 10489750
- Experimental Beacon 10490000 currently also F1A CW
- Synch received on Mo 8 Jun - 19:23:11 UTC
 - CRC OK
- N HI de Qatar-OSCAR 100 (DK0SB)
 - In order to coordinate potential emergency communications
 - during the actual or any other crisis, the following frequency
 - will be assigned as international emergency frequency on QO-100
 - NB Transponder: Downlink: 10489.860 MHz Uplink: 2400.360 MHz
 - SSB channel: max. 2.7kHz bandwidth
 - All users on QO-100 are encouraged to monitor
 - this frequency, but keep it clear for emergency traffic!
- Synch received on Mo 8 Jun - 19:23:36 UTC
 - CRC OK
- K HI de Qatar-OSCAR 100 (DK0SB)