

VoIP Codec Uebersicht

Versionsgeschichte interaktiv durchsuchen  
VisuellWikitext

Version vom 2. Februar 2020, 22:56 Uhr (  
    **Quelltext anzeigen**)  
    Oe1kbc ([Diskussion](#) | [Beiträge](#))  
    ← Zum vorherigen Versionsunterschied

Aktuelle Version vom 7. Januar 2024, 13:  
    **10 Uhr (**Quelltext anzeigen**)**  
    OE9LTX ([Diskussion](#) | [Beiträge](#))  
    (add minimal details here that opus is  
        available as well)  
    Markierung: [Visuelle Bearbeitung](#)

(4 dazwischenliegende Versionen von einem anderen Benutzer werden nicht angezeigt)

Zeile 1:

[[Kategorie:Digitaler Backbone]]

[[Kategorie:Digitale\_Betriebsarten]]

==== Opus codec support ====

<font color="red">"WARNING:"</font> "opus" codec is listed here as an experimental feature, without production-grade support at the moment! Due to limited memory, the opus codec is not available for D120.

==== iLBC codec support ====

<font color="red">"LIMITATION:"</font> If incoming SDP has different ptime (eq. ptime=30) than the configured ptime (e.g., Packet Size=20), the behaviour is undefined. To prevent this, please make sure the phone is configured with correct ptime.

== Supported Codecs on D305, D315, D345, D375, D385, D712, 715, 725, D745, D765 and D785 ==

Zeile 1:

[[Kategorie:Digitaler Backbone]]

[[Kategorie:Digitale\_Betriebsarten]]

<div>{ </div>		<div>{ </div>	
<div>   SDP Name</div>		<div>   SDP Name</div>	
<div>   Setting Name</div>		<div>   Setting Name</div>	
<div>-    Fmt</div>			
<div>   Rate</div>		<div>   Rate</div>	
<div>   Ptime 10ms</div>		<div>   Ptime 10ms</div>	
<div>-    Ptime 20ms</div>	<div>+</div>	<div>   20ms</div>	
<div>-    Ptime 30ms</div>	<div>+</div>	<div>   30ms</div>	
<div>-    Ptime 40ms</div>	<div>+</div>	<div>   40ms</div>	
<div>-    Ptime 60ms</div>	<div>+</div>	<div>   60ms</div>	
<div>   Bandwidth</div>		<div>   Bandwidth</div>	
<div>   Default Codec</div>		<div>   Default Codec</div>	
<div>Zeile 27:</div>		<div>Zeile 16:</div>	
<div>  [[G.722 G722]]</div>		<div>  [[G.722 G722]]</div>	
<div>  g722</div>		<div>  g722</div>	
<div>-  </div>			
<div>  16000</div>		<div>  16000</div>	
<div>-   [[File:notapplicable.png 20px]]</div>	<div>+</div>	<div>  [[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	
<div>  64</div>		<div>  64</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	
<div>-   [[File:apply.png 20px]]</div>	<div>+</div>	<div>  [[File:apply.png 20px verweis=Special:FilePath/apply.png]]</div>	

-	-
[[G.711ulaw PCMU]]	[[G.711ulaw PCMU]]
pcmu	pcmu
-	
8000	8000
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
64	64
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	-
[[G.711alaw PCMA]]	[[G.711alaw PCMA]]
pcma	pcma
-	
8000	8000
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
[[File:apply.png 20px]]	

-		+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	64		64
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	-		
-	x-msrta		
-	msrta-nb		
-	bitrate=11800		
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	12		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	-		
-	x-msrta		
-	msrta-wb		
-	bitrate=29000		
-	16000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	64		

- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | x-msrta
- | msrta
- | bitrate=11800
- | 8000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:notapplicable.png|20px]]
- | [[File:notapplicable.png|20px]]
- | [[File:notapplicable.png|20px]]
- | 12
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | opus
- | opus-wb
- | maxplaybackrate=16000
- | 48000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | 64
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -

- | opus
- | opus-nb
- | maxplaybackrate=8000
- | 48000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | 12
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | opus
- | opus
- |
- | 48000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | 64
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | AMR
- | amr-0
- |

–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	4
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	AMR
–	amr-1
–	
–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	5
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	AMR
–	amr-2
–	
–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]

–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	6
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	AMR
–	amr-3
–	
–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	7
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	AMR
–	amr-4
–	
–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]



---

-	7
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	AMR
-	amr-5
-	
-	8000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	8
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	AMR
-	amr-6
-	
-	8000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	10
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]

---

-	-
-	AMR
-	amr-7
-	
-	8000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	12
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	[[AMR-WB AMR-WB]]
-	amrwb-0
-	
-	16000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	7
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	[[AMR-WB AMR-WB]]
-	amrwb-1

-	
-	16000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	9
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	[[AMR-WB AMR-WB]]
-	amrwb-2
-	
-	16000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	13
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	-
-	[[AMR-WB AMR-WB]]
-	amrwb-3
-	
-	16000
-	[[File:notapplicable.png 20px]]

–		[[File:apply.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		14	
–		[[File:notapplicable.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		-	
–		[[AMR-WB AMR-WB]]	
–		amrwb-4	
–			
–		16000	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		16	
–		[[File:notapplicable.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		-	
–		[[AMR-WB AMR-WB]]	
–		amrwb-5	
–			
–		16000	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	

---

–	[[File:apply.png 20px]]
–	18
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	[[AMR-WB AMR-WB]]
–	amrwb-6
–	
–	16000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	20
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	[[AMR-WB AMR-WB]]
–	amrwb-7
–	
–	16000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	23
–	[[File:notapplicable.png 20px]]

---

–	[[File:notapplicable.png 20px]]
–	-
–	[[AMR-WB AMR-WB]]
–	amrwb-8
–	
–	16000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	24
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	-
–	[[AMR-WB AMR-WB]]
–	amrwb
–	
–	16000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	7
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
	-
	[[GSM-FR GSM]]

-
[[GSM-FR GSM]]

gsm	gsm
-	
8000	8000
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
13	13
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	-
[[G.723.1 G723]]	[[G.723.1 G723]]
g723	g723
-	
8000	8000
-   [[File:notapplicable.png 20px]]	+   [[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-   [[File:notapplicable.png 20px]]	+   [[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:notapplicable.png 20px]]	+   [[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-   [[File:apply.png 20px]]	+   [[File:apply.png 20px verweis=Special:FilePath/apply.png]]
7	7

-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.726 G726-16]]		[[G.726 G726-16]]
	g726-16		g726-16
-			
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	16		16
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.726 G726-24]]		[[G.726 G726-24]]
	g726-24		g726-24
-			
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	[[File:apply.png 20px]]		



-		+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	24		24
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.726 G726-32]]		[[G.726 G726-32]]
	g726-32		g726-32
-			
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	32		32
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.726 G726-40]]		[[G.726 G726-40]]
	g726-40		g726-40

-			
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	40		40
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	-		
-	[[G.726 AAL2-G726-16]]		
-	aal2-g726-16		
-			
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	16		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	-		
-	[[G.726 AAL2-G726-24]]		

–	aal2-g726-24
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	24
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.726 AAL2-G726-32]]
–	aal2-g726-32
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	32
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
	-
–	[[G.726 AAL2-G726-40]]
–	aal2-g726-40
–	
–	8000

| -

-	[[File:apply.png 20px]]				
-	[[File:apply.png 20px]]				
-	[[File:apply.png 20px]]				
-	[[File:apply.png 20px]]				
-	[[File:apply.png 20px]]				
-	40				
-	[[File:notapplicable.png 20px]]				
-	[[File:apply.png 20px]]				
	-				
	[[G.729 G729]]				
	g729				
-	annexb=no				
	8000				
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
	8		8		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]		
	-		-		
	[[G.729 G729]]		[[G.729 G729]]		
	g729-annexb=no		g729-annexb=no		
-	annexb=no				

8000		8000
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
8		8
-   [[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-		-
[[G.729 G729]]		[[G.729 G729]]
g729-annexb=yes		g729-annexb=yes
-   <b>annexb=yes</b>		
8000		8000
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-   [[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
8		8
-   [[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]

-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.729 G729]]		[[G.729 G729]]
	g729-no-fmt		g729-no-fmt
-			
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	8		8
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	-		-
	[[G.729 G729A]]		[[G.729 G729A]]
	g729-annexb=no		g729-annexb=no
-	annexb=no		
	8000		8000
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	[[File:apply.png 20px]]		

-		+	[[File:apply.png 20px  <b>verweis=Special:FilePath/apply.png</b> ]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px  <b>verweis=Special:FilePath/apply.png</b> ]]
	8		8
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px  <b>verweis=Special:FilePath/notapplicable.png</b> ]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px  <b>verweis=Special:FilePath/apply.png</b> ]]
	-		-
	[[G.729 G729A]]		[[G.729 G729A]]
	g729-annexb=no		g729-annexb=no
-			
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	8		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	-		
-	ilbc		
-	ilbc-30		
-	mode=30		
-	8000		
-	[[File:notapplicable.png 20px]]		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:notapplicable.png 20px]]		

-	[[File:apply.png 20px]]		
-	8		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	-		
-	ilbc		
-	ilbc-20		
-	mode=20		
	8000		8000
-	[[File:notapplicable.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:notapplicable.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
	8		8
-	[[File:notapplicable.png 20px]]	+	[[File:notapplicable.png 20px verweis=Special:FilePath/notapplicable.png]]
-	[[File:apply.png 20px]]	+	[[File:apply.png 20px verweis=Special:FilePath/apply.png]]
-	-	+	
-	CN		
-	cn		
-			
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		



-	[[File:apply.png 20px]]	
-	[[File:apply.png 20px]]	
-	0	
-	[[File:notapplicable.png 20px]]	
-	[[File:apply.png 20px]]	
-	-	
-	CN	
-	cn-wb	
-		
-	16000	
-	[[File:apply.png 20px]]	
-	[[File:apply.png 20px]]	
-	[[File:apply.png 20px]]	
-	[[File:apply.png 20px]]	
-	[[File:apply.png 20px]]	
-	0	
-	[[File:notapplicable.png 20px]]	
-	[[File:apply.png 20px]]	
	-	-
-	telephone-event	+   [[Opus]]
-	telephone-event	+   opus
-	0-15	+   8, 12, 24, oder 48 kHz
-	8000	+   ?
-	[[File:apply.png 20px]]	+   ?
-	[[File:apply.png 20px]]	+   ?
-	[[File:apply.png 20px]]	+   ?
-	[[File:apply.png 20px]]	+   ?
-	[[File:apply.png 20px]]	+   ?
-	0	+   X

---

-	[[File:apply.png 20px]]	+	✓
-	[[File:apply.png 20px]]		
-	-		
-	telephone-event		
-	telephone-event-0-16		
-	0-16		
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	0		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	-		
-	telephone-event		
-	telephone-event-no-fmtp		
-			
-	8000		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	[[File:apply.png 20px]]		
-	0		
-	[[File:notapplicable.png 20px]]		
-	[[File:apply.png 20px]]		
-	}		

-	
-	
-	'''Default Codec List: '''q722,pcmu,pcma,qsm,q723,q726-32,aal2-g726-32,g729,telephone-event
-	
-	
-	== Supported Codecs on D120 ==
-	
-	{
-	{{MenuHeading}}width:5%;"   SDP Name
-	{{MenuHeading}}width:5%;"   Setting Name
-	{{MenuHeading}}width:5%;"   Fmtp
-	{{MenuHeading}}width:5%;"   Rate
-	{{MenuHeading}}width:5%;"   Ptime 10ms
-	{{MenuHeading}}width:5%;"   Ptime 20ms
-	{{MenuHeading}}width:5%;"   Ptime 30ms
-	{{MenuHeading}}width:5%;"   Ptime 40ms
-	{{MenuHeading}}width:5%;"   Ptime 60ms
-	{{MenuHeading}}width:5%;"   Bandwidth
-	{{MenuHeading}}width:5%;"   Default Codec
-	{{MenuHeading}}width:5%;"   No Licence needed
-	-
-	[[G.722 G722]]

–	g722
–	
–	16000
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	64
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.711ulaw PCMU]]
–	pcmu
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	64
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.711alaw PCMA]]
–	pcma
–	
–	8000

---

–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		64	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		[[GSM-FR GSM]]	
–		gsm	
–			
–		8000	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		13	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		[[G.723.1 G723]]	
–		g723	
–			
–		8000	
–		[[File:notapplicable.png 20px]]	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	

---

–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	7
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.726 G726-32]]
–	g726-32
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	32
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.726 AAL2-G726-32]]
–	aal2-g726-32
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	32

–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.729 G729]]
–	g729
–	annexb=no
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.729 G729]]
–	g729-annexb=no
–	annexb=no
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-

- | [[G.729|G729]]
- | g729-annexb=yes
- | annexb=yes
- | 8000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | 8
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | [[G.729|G729]]
- | g729-no-fmtp
- |
- | 8000
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | [[File:apply.png|20px]]
- | 8
- | [[File:notapplicable.png|20px]]
- | [[File:apply.png|20px]]
- | -
- | [[G.729|G729A]]
- | g729-annexb=no
- | annexb=no



---

–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.729 G729A]]
–	g729-annexb=no
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	CN
–	cn
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]

---

---

–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		0	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		CN	
–		cn-wb	
–			
–		16000	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		0	
–		[[File:notapplicable.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		telephone-event	
–		telephone-event	
–		0-15	
–		8000	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	

---

-	0
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	telephone-event
-	telephone-event-0-16
-	0-16
-	8000
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	0
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	telephone-event
-	telephone-event-no-fmtp
-	
-	8000
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	0
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]

---

-	}
-	
-	
-	""Default Codec List: ""q722,pcmu,pcm a,gsm,g723,g726-32,aal2-g726-32, g729,telephone-event
-	
-	
-	== Supported Codecs on D335, D717 and D735 ==
-	
-	{
-	{{MenuHeading}}width:5%;"   SDP Name
-	{{MenuHeading}}width:5%;"   Setting Name
-	{{MenuHeading}}width:5%;"   Fmt
-	{{MenuHeading}}width:5%;"   Rate
-	{{MenuHeading}}width:5%;"   Ptime 10ms
-	{{MenuHeading}}width:5%;"   Ptime 20ms
-	{{MenuHeading}}width:5%;"   Ptime 30ms
-	{{MenuHeading}}width:5%;"   Ptime 40ms
-	{{MenuHeading}}width:5%;"   Ptime 60ms
-	{{MenuHeading}}width:5%;"   Bandwidth
-	{{MenuHeading}}width:5%;"   Default Codec
-	{{MenuHeading}}width:5%;"   No Licence needed

---

-	-
-	[[G.722 G722]]
-	g722
-	
-	16000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	64
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	opus
-	opus-wb
-	maxplaybackrate=16000
-	48000
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	64
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	opus
-	opus-nb

---

–	maxplaybackrate=8000
–	48000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	12
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	opus
–	opus
–	
–	48000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	64
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.711ulaw PCMU]]
–	pcmu
–	
–	8000
–	[[File:apply.png 20px]]

–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		64	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		[[G.711alaw PCMA]]	
–		pcma	
–			
–		8000	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		64	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		-	
–		[[GSM-FR GSM]]	
–		gsm	
–			
–		8000	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	
–		[[File:apply.png 20px]]	

---

–	[[File:apply.png 20px]]
–	13
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.723.1 G723]]
–	g723
–	
–	8000
–	[[File:notapplicable.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	7
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.726 G726-32]]
–	g726-32
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	32
–	[[File:apply.png 20px]]

---



-	[[File:apply.png 20px]]
-	-
-	[[G.726 AAL2-G726-32]]
-	aal2-g726-32
-	
-	8000
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	32
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	[[G.729 G729]]
-	g729
-	annexb=no
-	8000
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	8
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	[[G.729 G729]]

–	g729-annexb=no	
–	annexb=no	
–	8000	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	8	
–	[[File:notapplicable.png 20px]]	
–	[[File:apply.png 20px]]	
–	-	
–	[[G.729 G729]]	
–	g729-annexb=yes	
–	annexb=yes	
–	8000	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	[[File:apply.png 20px]]	
–	8	
–	[[File:notapplicable.png 20px]]	
–	[[File:apply.png 20px]]	
–	-	
–	[[G.729 G729]]	
–	g729-no-fmtp	
–		
–	8000	

–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.729 G729A]]
–	g729-annexb=no
–	annexb=no
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	8
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	[[G.729 G729A]]
–	g729-annexb=no
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]

-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	8
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	ilbc
-	ilbc-30
-	mode=30
-	8000
-	[[File:notapplicable.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	8
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	-
-	ilbc
-	ilbc-20
-	mode=20
-	8000
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:notapplicable.png 20px]]
-	[[File:apply.png 20px]]
-	[[File:apply.png 20px]]
-	8

–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	CN
–	cn
–	
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	0
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	CN
–	cn-wb
–	
–	16000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	0
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-

–	telephone-event
–	telephone-event
–	0-15
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	0
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	telephone-event
–	telephone-event-0-16
–	0-16
–	8000
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	[[File:apply.png 20px]]
–	0
–	[[File:notapplicable.png 20px]]
–	[[File:apply.png 20px]]
–	-
–	telephone-event
–	telephone-event-no-fmt
–	

- | 8000

- | [[File:apply.png|20px]]

- | [[File:apply.png|20px]]

- | [[File:apply.png|20px]]

- | [[File:apply.png|20px]]

- | [[File:apply.png|20px]]

- | 0

- | [[File:notapplicable.png|20px]]

- | [[File:apply.png|20px]]

|}

-

-

- '''Default Codec List: '''q722,pcmu,pcma,qsm,q723,q726-32,aal2-g726-32,g729,telephone-event

|}

Aktuelle Version vom 7. Januar 2024, 13:10 Uhr

SDP Name	Setting Name	Rate	Ptime 10ms	20ms	30ms	40ms	60ms	Bandwidth	Default Codec	No Licence needed
G722	g722	16000	20px	20px	20px	20px	20px	64	20px	20px
PCMU	pcmu	8000	20px	20px	20px	20px	20px	64	20px	20px
PCMA	pcma	8000	20px	20px	20px	20px	20px	64	20px	20px
GSM	gsm	8000	20px	20px	20px	20px	20px	13	20px	20px
G723	g723	8000	20px	20px	20px	20px	20px	7	20px	20px
G726-16	g726-16	8000	20px	20px	20px	20px	20px	16	20px	20px
G726-24	g726-24	8000	20px	20px	20px	20px	20px	24	20px	20px
G726-32	g726-32	8000	20px	20px	20px	20px	20px	32	20px	20px
G726-40	g726-40	8000	20px	20px	20px	20px	20px	40	20px	20px
G729	g729	8000	20px	20px	20px	20px	20px	8	20px	20px
G729	g729-annexb=no g729-	8000	20px	20px	20px	20px	20px	8	20px	20px

G729	annexb=yes	8000	20px	20px	20px	20px	20px	8	20px	20px
G729	g729-no-fmtp	8000	20px	20px	20px	20px	20px	8	20px	20px
G729A	g729-annexb=no	8000	20px	20px	20px	20px	20px	8	20px	20px
G729A	g729-annexb=no	8000	20px	20px	20px	20px	20px	8	20px	20px
Opus	opus	8, 12, 24, oder 48 kHz	?	?	?	?	?	?	x	✓